# The Escape is available through Swift and Bessacarr dealers

es

Swift Group Ltd provides a ten year bodyshell integrity warranty and a three year manufacturers warranty on the coachbuilt element of the motorhome - see www.swiftmotorhomes.co.uk for more details. Terms and conditions apply. Fiat provide a three-year warranty for the base vehicle and three-year pan European Camper Assistance, road side assistance and breakdown cover operated in conjunction with the RAC, ask your dealer for more details

See www.swiftmotorhomes.co.uk for more model pictures, the gallery is constantly updated as new models are available

ehicle 1 Approv

www.swiftgroup.co.uk

# The New Escape By Swift

escape

102 ==

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

All props are for photographic purposes only and are not included in the specification Issued October 2011

Swift Group Limited · Dunswell Road · Cottingham · East Yorkshire HU16 4JX Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk www.swiftgroup.co.uk

MH2057/09/11





# THE ESCAPE RANGE IS THE IDEAL ENTRY POINT TO ENJOY THE FREEDOM OWNING A COACHBUILT MOTORHOME CAN BRING

With all the essentials and more at a price that makes owning a new motorhome an affordable proposition, the Escape comes with a choice of four High-line and one Low-line model so there is sure to be a layout to suit you.

With all models now getting the new 130bhp Euro 5 engine with 6-speed gearbox as standard you can be assured of improved fuel economy and acceleration with lower  $CO_2$  emissions, compared to the Euro 4 version, making the package even more attractive.















2



- 3 burner gas hob, combination thermostatic oven and grill, all with electronic ignition
   Pressurised fresh water system with self-priming pump & accumulator
   80 Litre electronic ignition refrigerator with 230V, gas and 12V operation
- 4 Granite-look kitchen sink
- 5 Three 230V sockets







#### Key features

- New: Fiat Euro 5 130bhp engine 9% improvement in fuel economy and 7% lower CO<sub>2</sub> emissions than Euro 4 130bhp engine
- New: Fully integrated factory-fit Radio/CD/MP3 player with switch-off timing adjustable up to 3 hours
- Heavy duty chassis extensions ready for optional homologated towbar
   Electrically operated and tinted
- Electrically operated and tinted cab windows
   Remote central locking of cab doors
- and immobiliser with rolling code Thermal cab window covers
- One-piece, 5000 Series marine grade
- aluminium sidewallsLap and diagonal seat belts on all designated passenger seats
- Secure positive catches on all furniture doors
- Seat tops with beech slats, springassisted for easy access (except travelling seats)
- Heavy duty, durable floor vinyl
- Removable carpets
- Heki rooflight in lounge area with flyscreen and adjustable pleated blind
- Combination thermostatic oven and grill with electronic ignition
- Three 230V sockets
- 300 Watt charger/transformer for 12V supply
- 70 amp-hour leisure battery in exterior access locker
- 65 litre internal fresh water tank with level sensor
- 68 litre waste water tank with level sensor

# Key options

- Special Value Comfort Pack consisting of:
- Electric entrance step with automatic
- drive-away retraction - Easy action concertina door flyscreen
- Ultraheat dual fuel blown air heating
- system ducted to living, sleeping and washroom areas
- Pleated windscreen blind
- Pair of scatter cushions

### Additional features

- Fiat Chassis-cab • ABS brakes with EBD (electronic brake force distribution)
- Variable power steering
- Adjustable steering wheel position
- Driver's airbag
- Headlamp height adjustment
- Lockable (Laptop PC size) central storage box
- Door pockets with bottle holders

#### Two DIN sockets

- Driver and passenger seats in 622, 624, 696 & 686 models with:
  - Position and rake adjustment (driver's seat also has height
  - adjustment)
  - ArmrestFull upholstered covers
  - Base surrounds
- Driver and passenger seats in 664 model with:
- Position, height and rake adjustment
   Swivels
   Two armrests
- Full upholstered covers
- Base surrounds
   Cab carpet (removable)
- Fiat 'Fix and Go' puncture repair and tyre inflation kit
- New: Cab battery isolation switch to prevent discharge in storage
- Body and Exterior equipment

#### Full wheel trims

- Freestyle graphics coordinated with
- Imperial Blue colour cab Low energy LED exterior light.
- Low energy LED exterior lig
   High gloss moulded skirts
- High gloss moulded lower rear panel
- High level brake light
- Exterior door with burstproof locking
- Single key for all habitation doors
  Stepwell and manually retractable step
- with buzzer warning
- Exterior access locker door -CC/ model entry
- 664 model only Garage' door 696 model only
- Double glazed opening windows with
- night-latch ventilation
- Compartment for 2 x 7kg gas bottles
  Gas regulator fitted with stainless steel
- Gas regulator fitted with stainless ste braided hose for improved reliability
- Fixing points for rear-mounted cycle rack
- 32mm 'sandwich' walls with HD
- polystyrene insulation core 32mm 'sandwich' roof with HD
- polystyrene insulation core

bunk mattresses

- 44mm 'sandwich' floor with 'Xyligen' treated plywood and Styrofoam
- insulation core
- New: Strong redwood body and floor framing impregnated to resist moisture and fungal attack
- Living Area
- 'Mali Acacia' woodgrain finish with trim details in leather look
- High resilience foam in seats and backrests (150mm/6")
  Sprung fixed bed mattress in 664 model

mattress (High-line models) and 696

Sprung fixed bed mattress in 664 model
75mm/3" high resilience foam luton bed
25 metre mains hook-up cable

Removable carpets over new heavy duty durable floor vinyl Cab window blinds

Secure positive catches on all furniture doors Seat tops with beech slats, spring-assisted for easy access (except travelling seats) 'Garage' door 696 model only **Specification** 

Model

Engine Capacity

Engine Power

Engine Torque

Roof Profile

Wheel Base

Overall Height

Laden Mass (A)

Fiat MultiJet Diesel Engine

Designated Passenger Seats

Berths (sleeping positions)

Overall Length (no ladder)

Overall Width (mirrors folded)

Maximum Technical Permissible

Mass in Running Order (B)\*

Maximum User Payload (A-B)

Essential Habitation Equipment

Maximum Recommended Trailer Weight\*\*

Thermal Insulation Grade

Gross train weight

**Bed Sizes** 

or Front Offside Single

Front Nearside Single

Rear Nearside Single

Rear Offside Single

Rear Bunk (Upper)

Rear Bunk (Lower)

\* The Mass in Running Order is the

mass of the unladen vehicle including

a 75kg allowance for the driver plus engine coolants and 90% of the fuel

tank, water tank and gas capacity.

\*\* Please consult your dealer for more

† The MTPLM on the 686 and 696 can

be downgraded to 3500kg with the

removal of one rear seat belt prior to

first registration. Consult your dealer

detailed towing information

for further information

.....

Overcab Bed

Front Double

Rear Double

- Removable aluminium ladder to the over-cab bed (High-line models)
- Kitchen rooflight with flyscreen
- and blind
- Cassette flyscreens and blinds on all windows
- Removable entrance mat
- Smoke alarm
  - New: Carbon monoxide alarm
  - Kitchen
    Granite effect moulded
  - kitchen sink 80 Litre electronic ignition refrigerator
  - with 230V, gas and 12V operation Removable drainer with
  - dedicated storage
  - Food grade nylon chopping board with dedicated storage
  - Chrome finish brass pillar tap
  - with long spout
  - 3 burner gas hob with electronic ignition
    Glass hob lid

## Washroom

- Washroom
   35mm thick entrance door with
- domestic style mortice lock and handle
- Thetford C250 cassette toilet with electric flush and 18 litre wheeled holding tank
- Generously sized washbasin with two door cupboard
- Overhead towel locker

Trumastore gas and electric

Truma 3kW gas space heater

- Chrome finish brass mixer taps and
- shower taps

water heater

temperatures)

Electrical

Rooflight with flyscreen (686 & 696 only)
 Opening window (except 686 & 696)
 Heating and Plumbing

• Grade 2 classification for heating and

thermal insulation (for low ambient

Pressurised fresh water system with

self-priming pump & accumulator

Mains consumer unit with mains

Large, easy to read 12V control panel

- Battery selection and charge state

TV station with 230V and 12V sockets,

External aerial connection point in

aerial socket for connection to

near entrance doorway with controls for:

isolators and 12V fuse board

- 12V power on/off

- Water pump

- Tank levels

battery locker

	and a stand of the	
	an tanàna kaominina k	
	and and and and a start of a star	
	and a first of the	
and and a second se		

686

Standard

664 Standard 130 2287cc 130bhp 320Nm Low line 3.80m/12'6" 3 4 6.72m/22'1" 2.24m/7'4" 2.85m/9'4" 3500kg 2919kg 581kg 9kg Two

 $\wedge \wedge$ 

00

624

Standard

130

2287cc

130bhp

320Nm

High line

3.45m/11'4"

3

5

6.30m/20'8"

2.24m/7'4"

2.94m/9'8"

3300kg

2899kg

401kg

9kg

Two

1600kg

4900kg

1.89m x 1.22m/6'2" x 4'0"

1.89m x 0.92m/6'2" x 3'0"

1.85m x 0.68m/6'1" x 2'3"

2.08m x 1.37m/6'10"x 4'6"

622

Standard

130

2287cc

130bhp

320Nm

High line

3.45m/11'4"

4

6.30m/20'8"

2.24m/7'4"

2.94m/9'8'

3300kg

2874kg

426kg

9kg

Two

1600kg

4900kg

2.08m x 1.76m/6'10" x 5'9'

1.89m x 0.68m/6'2" x 2'3"

1.76m x 0.68m/5'9" x 2'3"

2.08m x 1.37m/6'10"x 4'6"

130 2287cc 130bhp 320Nm High line 4.04m/13'3" 5 6 6.92m/22'8" 2.24m/7'4" 2.94m/9'8" 3650kg<sup>†</sup> 3000kg 650kg 9kg Two 1600kg 5250kg

Standard 130 2287cc 130bhp 320Nm High line 4.04m/13'3" 5 6 6.92m/22'8" 2.24m/7'4" 2.94m/9'8" 3650kg<sup>†</sup> 3002kg 648kg 9kg Two 1600kg 5250kg

696

2.08m x 1.24/0.93m/6'10"x 4'1"/3'1"

1600kg

5100kg

1.84m x 1.22m/6'0" x 4'0" 1.84m x 0.92m/6'0" x 3'0"

1.84m x 0.92m/6'0" x 3'0"

1.85m x 1.25m/6'1" x 4'1" 2.08m x 1.34m/6'10" x 4'5"

2.08m x 1.37m/6'10" x 4'6"

1.96m x 0.75m/6'5" x 2'6" 1.93m x 0.73m/6'4" x 2'5" 2.08m x 1.37m/6'10" x 4'6"

2 08m x 1 36m/6'10" x 4'6"





