



**SWIFT** 

THE 1995 RANGE

# CANWELL CARAVANS

Canwell Caravans Limited, A38 London Road, Canwell, Sutton Coldfield,  
West Midlands B75 5ST. Telephone: 021 308 0583/5257. Fax: 021 323 2482.



ARTHUR J. SAVAGE  
Sales Director



## QUALITY BEGINS WITH GOOD DESIGN



From the time the very first Swift model was produced 30 years ago, innovative design and quality of construction have been the hallmark of the company.

Today the Swift Group is the largest manufacturer of touring caravans in the UK and one of the leading companies producing leisure vehicles in Europe.

All Swift models are built to stand the test of time and an excellent resale value is testimony to their ongoing popularity over the years.

The ultra modern 40 acre production complex at Cottingham in East Yorkshire bristles with all the latest high technology design and production equipment and is one of the most sophisticated in the industry.

The Swift product development and production procedures meet the toughest quality standards, and the Swift Group is one of the few companies to have attained, International quality standard ISO 9001.

All sections of the business operate using the same centrally

generated computerised information ensuring total co-ordination at all stages of design and production.

This has transformed the way the modern caravan is conceived and manufactured. Starting at the design stage, a powerful CAD (Computer Aided Design) system produces everything from initial concepts to the final drawings for the production lines.

It provides the designers with hundreds of options, many in three dimensions, enabling them to picture the next generation of Swift models without a panel being built. Only when the final details have been carefully checked and approved is the actual prototype model constructed.

This model then undergoes a series of construction and speed tests to prove the safety and stability of the new design beyond doubt. Some of these tests, together with many of the new manufacturing processes are unique to Swift.

Together they help the company to build a better caravan.



# ADVANCED TECHNOLOGY SETS NEW STANDARDS

design and the quality of manufacturing.

All the furniture, including the hardwood framed doors used in many of the models, are manufactured to pinpoint accuracy on the latest computer numerically controlled machines, using only the finest quality timber from sustainable forests.

Many of the GRP (Glass Reinforced Plastic) items, including



Years of experience and craftsmanship are built into every new Swift product, experience that has gained the company a reputation for making the best quality touring caravans in Europe.

Many of the components used in the caravans are manufactured by Swift Group companies on the Cottingham complex to provide maximum control over both complementary

the individually styled aerodynamic one piece front and rear panels are manufactured by the Group's own specialist plastics company.

All the proprietary items like ovens, refrigerators, heaters and electrical control systems are carefully sourced from household name companies who adopt similar high standards of quality control. These components are only fitted to Swift products after


they have been rigorously tested in situ to make sure they perform correctly.

By using centrally generated computerised information, and the latest specialised machinery, the flowline production facilities at the Group's Northmoor complex are able to build one of the widest ranges of leisure vehicles in Europe to consistently high standards of quality and finish.

Add the unique Swift workforce, which includes many craftsmen who have worked on generations of successful Swift models, and whose traditional skills have now been blended with modern day technology, and you have the final ingredient in the Swift success story.



# ATTENTION TO DETAIL THE INSIDE STORY



Inside every Swift model is a story of craftsmanship, attention to detail and years of experience supporting the company's reputation for building a better touring caravan.

Many of the more important points are hidden from the eye. Floors that are 44mm thick, walls 25mm thick and a roof 32mm thick, provide superior strength and insulation.

All models have framed furniture doors and most have

hardwood frames with stylish profiles for good looks and long life.

All models feature a unique soft shut seal on the locker doors for

a quiet closing action.

The furniture is fitted using the Swift system of locating the fixing screws into steel plates that are bonded into the laminated walls in strategic positions, providing strong secure fixing. Fixing that is strong enough to withstand the rigours of a test track designed to shake 20 ton trucks to pieces.

Many models have ventilation boards behind the seat back

rests. This feature, together with slatted bed box tops which run in smooth action plastic runners, eliminates condensation in these high risk areas.

The latest generation of light weight galvanised steel chassis and wide track Al-Ko Euro axle ensures optimum safety and

performance on the road.

Other safety features include a central manifold gas system with individual isolation taps for each gas appliance, inboard rigid plastic plumbing with domestic push fit


connectors and a pressurised fresh water system.

Many models incorporate a modular console which houses all the main electrical controls, the 12 volt fuses and 240 volt residual circuit breakers. This console,

which is unique to Swift, makes all the electrical systems simple and safe to operate.

Before every Swift model leaves the factory it will have gone through a series of quality control checks, starting as it goes down the production line and finishing with a thorough 210 point inspection before it is despatched to the dealer.

The dealer will then undertake his own careful pre-delivery inspection before handing over your new caravan. At Swift the desire to get your caravan to you in perfect condition is always top of our list.



# SAFE STABLE & SECURE

Three of the most important things to consider when buying a caravan are safety, stability and security.


Swift score top marks in each area. For safety and stability, Swift has a record second to none. Every prototype caravan has to undergo rigorous stability tests carried out at speeds up to 80mph, and structural tests involving 25,000 miles of simulated use, before they can go into production.

One of the tests includes monitoring the noseweight while the caravan is actually being towed, using a unique piece of equipment developed exclusively for Swift. This checks the aerodynamics and towing stability by recording the noseweight of the caravan in every possible towing and braking situation.

And when it comes to speed, a standard Rapide 380 still holds the national 24 hour speed record, at an average of just over 94 mph behind a standard Vauxhall Carlton on the Millbrook test circuit.

The wheels on all Swift models are fitted with a double hump safety feature to reduce the risk of the tyre leaving the wheel rim in the unlikely event of a motorway blowout.

Finally, when it comes to security, all models have security numbers etched into every window and stamped into the 'A' frame of the chassis. This number is recorded on a central



Lightweight galvanised 'Al-Ko' chassis



Rigorous prototype testing



Single key high security locks



computer system for instant owner identification.

For even more peace of mind a sophisticated infra red alarm system is offered on some of the higher specification models, and all models feature high security locks operated by a single key on all external doors.



The five model Rapide GXL range provides the perfect starting point for anyone looking for the ideal combination in style and value for money.

Smart new exterior graphics, a dark green centre coach band, and restyled neutral density



rear light cluster incorporating reversing lights immediately identify the 1995 Rapides.

Inside, the furniture mouldings have been restyled and the lockers incorporate soft shut seals. The 380, 440 and 490 models get a new



Rapide 450 GXL

two drawer chest unit with fold over occasional table in the front dinette.

The fully fitted shower rooms in all models now have additional storage in the vanity unit. The shower room includes a cassette toilet,



and the gas/mains electric water heater provides hot water to both shower room and kitchen which also has a 3 burner hob with flame failure device and a 60 litre Electrolux refrigerator.




Rapide 380 GXL rear kitchen



Rapide 490 GXL front seating



Rapide 490 GXL toilet compartment



The all new six model Azzura range offers a layout and style to suit every conceivable taste.

The striking exterior has a new style body shell finished in Aspen White with metallic grey striping and a combination of mint and turquoise graphics.



The aerodynamic one piece GRP front features three deep windows and has a large gas bottle locker with detachable door. Like all 1995 Swift models, the 'A' frame has been designed to accept the latest Scott stabiliser bracket.



Azzura 450



Inside the Azzura provides a level of specification that offers an unequalled level of comfort in its class. The kitchen has a sandstone colour Stoves 4 burner hob and grill with flame failure device, matching polycarbonate sink and drainer and a 70 litre refrigerator. The furniture doors have the latest style wrapped

mouldings, there are blinds and flyscreens to all opening windows and the electrics feature the latest combination pattresses for the TV aerial, 12 volt and 240 volt sockets.

To keep warm, there is a Carver 1800 space heater



and the 490 and 530 models have a Carver 3000 heater. With fitted shower room, new style soft furnishings with anti roll pads to bunks and two new layouts in the 480 and 530 models, the Azzura range sets the standards for others to follow.




Azzura 400 front seating



Azzura 490L side kitchen



Azzura 490L toilet compartment



The Challenger 'SE' has been completely restyled for 1995 to maintain its mantle as Britain's most popular range of touring caravans. It continues to provide a unique blend of modern styling, wide choice of layouts and a high level of internal comfort.

The new body shell has an aerodynamic one piece GRP front with deep contoured windows and a large and easy to access gas bottle locker. The rear also features a GRP panel which has an aerodynamic spoiler on the roof, highlighting the models individual style.



Challenger 490 'SE' LUX

There are three new layouts in the 480, 500 with L shaped front end, and 530 models, and the level of internal specification has been further improved for 1995.

The solid ash framed furniture doors have a new profile, blown air central heating is provided by the new Carver Fanmaster dual

powered 3kw gas/2kw mains electric heater, the kitchen now has the latest Stoves thermostatic domestic quality oven with spark ignition and the large 77 litre Electrolux refrigerator with full width freezer compartment.



The last word in comfort is provided with restyled soft furnishings that now have interior sprung bedding and upholstered anti roll pads to rear bunks. A glance at the full list of features will show why the Challengers will still lead the pack in 1995.



Challenger 400 'SE' front seating



Challenger 490 'SE' LUX rear 'L' seating



Challenger 530 'SE' side kitchen



The Corniche, hailed as a breakthrough in caravan design with its unique exterior shape created through the skilled use of Glass Reinforced Plastic, was voted "Tourer of the Year" in 1994. It is arguably one of the most attractive shapes anywhere in Europe with its two



tone fawn GRP skirts, one piece GRP front and rear panels and a styled GRP roof with integral roof spoilers.

A new 16/3 model, with 'L' shaped front dinette and free standing table, centre kitchen and single dinette and rear washroom with separate toilet and shower facilities



Corniche 15/2E

joins the award winning range.

Other improvements for 1995 include the addition of low level interior lighting, the latest Fanmaster 3kw gas/2kw mains electric heater to power the blown air central heating and a large 77 litre Electrolux refrigerator with full width freezer compartment in the

luxury fitted kitchen.

The soft furnishings have been upgraded to have interior sprung bedding to both seat bases and backrests, and the fresh water system is fed from an underslung insulated fresh water tank.



This, the most luxurious of all Swifts even has a digital radio cassette player and is protected by a unique key pad operated passive infra red alarm system, which also has sensors on all exterior doors.




Corniche 13/2 front seating



Corniche 15/2 rear kitchen



Corniche 15/2E vanity area



For size, style and comfort the four models in the Conqueror range offer the ultimate touring experience.

Two new models join the range for 1995, the 550 Salon and 560 Salon. Both offer an 'L' shape front dinette and ergonomically designed centre kitchen. The 550 Salon has a

centre shower room and rear double dinette while the 560 Salon has a centre single dinette and rear washroom with separate shower and toilet compartments.

All kitchens now have the larger 77 litre Electrolux refrigerator with full width freezer compartment, the interior has been restyled



Conqueror 640 Salon

with new profile solid ash framed doors and a new feature moulded edge with gold insert trim to the lockers.

The soft furnishings have interior sprung bedding to seat bases and seat backs, upholstered anti roll pads to the bunks have been added, and the Fanmaster



gas/mains electric heater is fitted to the 550 Lux and Salon and 560 Salon models.

The modular electrical control panel houses water heater controls, water pump switch, fresh water tank level indicator, battery condition, changeover and charger

controls, 12 volt fuses, RCB's for the 240 volt system and key pad for the passive infra red alarm system which also has sensors on all exterior doors.


The Conquerors provide year round caravanning in the grandest of style.



Conqueror 550 Salon kitchen



Conqueror 550 Salon front 'L' seating



Conqueror 640 Salon toilet compartment



# R A P I D E G X L

	380	440	450	470	490
Internal Length (at bed box height)	3.84m/12'7"	4.51m/14'9"	4.51m/14'9"	4.67m/15'4"	4.90m/16'1"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"
Overall Length	5.24m/17'2"	5.90m/19'4"	5.90m/19'4"	6.06m/19'11"	6.30m/20'8"
Ex-Works Weight	740kg/14.5cwt	815kg/16.0cwt	840kg/16.5cwt	850kg/16.7cwt	870kg/17.1cwt
Maximum Authorised Weight	900kg/17.7cwt	1000kg/19.6cwt	1060kg/20.8cwt	1060kg/20.8cwt	1060kg/20.8cwt
Caravan Allowable Pay Load	160kg/3.2cwt	185kg/3.6cwt	220kg/4.3cwt	210kg/4.1cwt	190kg/3.7cwt
Awning Sizes (Ground to Ground)	8.00m/26'3"	8.66m/28'5"	8.66m/28'5"	8.82m/28'11"	9.06m/29'9"
Tyre Sizes	165R13	165R13 REINF	165R13 REINF	165R13 REINF	165R13 REINF


DECLARED EX-WORKS WEIGHTS HAVE BEEN INCREASED BY 30kg/0.6cwt TO ALLOW FOR VARIANCES AND OPTIONAL FITTED EQUIPMENT.

## BED SIZES

	380	440	450	470	490
Number of berths	2	2-4	2-5	2-4	2-5
Front double	201cm x 152cm (6'7" x 5'0")	201cm x 152cm (6'7" x 5'0")	201cm x 135cm (6'7" x 4'5")	201cm x 135cm (6'7" x 4'5")	201cm x 152cm (6'7" x 5'0")
Singles	189cm x 69cm (6'2" x 2'3")	189cm x 69cm (6'2" x 2'3")			189cm x 69cm (6'2" x 2'3")
Rear double			183cm x 116cm (6'0" x 3'10")		201cm x 116cm (6'7" x 3'9")
Rear single		201cm x 76cm (6'7" x 2'6")		180cm x 60cm (5'11" x 2'0")	
Rear bunk		201cm x 69cm (6'7" x 2'3")	201cm x 69cm (6'7" x 2'3")	180cm x 60cm (5'11" x 2'0")	201cm x 69cm (6'7" x 2'3")

## EXTERIOR


Light weight Al-ko galvanised steel chassis with Euro Axle  
 Exterior door with window and window blind  
 Exterior access battery (excluding battery)  
 Easy access front gas bottle storage  
 Opening front window  
 Bolt on wheel trims  
 Awning light  
 Reversing lights



Rapide 380

## LOUNGE, DINING AREA

Free standing table  
 Drawer unit with occasional table (6'2" beds only)  
 Lined velvet curtains  
 2 bolster cushions to 6'2" beds  
 Superior quality soft furnishings




Rapide 440

## KITCHEN

Electrolux 60 litre fridge  
 3 burner enamel hob with FFD and grill  
 High impact polycarbonate bowl/drainer

## HEATING & PLUMBING


Carver 1800 underfloor flued heater  
 Gas/electric powered water heater  
 Inboard rigid piped pressurised water system  
 Fitted shower and vanity unit  
 Thetford cassette toilet



Rapide 450

## ELECTRICAL

Mains electrics with 2 sockets  
 12v socket  
 Fluorescent lights  
 12 amp Switch mode charger/transformer  
 20 metre mains hook up cable




Rapide 470

## FITTINGS & EQUIPMENT

Double glazing with night latch ventilation  
 Pull out roller slatted bed  
 Moulded framed furniture doors  
 Concealed metal wall plates for secure furniture fixing

## SECURITY

Single key high security locks  
 Identity number etched to windows and stamped on chassis



Rapide 490





# AZZURA

	400	440	450	480	490 LUX	530
Internal Length (at bed box height)	4.27m/14'0"	4.67m/15'4"	4.64m/15'3"	4.70m/15'5"	5.19m/17'0"	5.30m/17'5"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"
Overall Length	5.73m/18'10"	6.14m/20'2"	6.13m/20'1"	6.16m/20'1"	6.66m/21'10"	6.76m/22'2"
Ex-Works Weight	820kg/16.1cwt	925kg/18.2cwt	905kg/17.8cwt	925kg/18.2cwt	985kg/19.4cwt	985kg/19.4cwt
Maximum Authorised Weight	1000kg/19.6cwt	1150kg/22.6cwt	1100kg/21.6cwt	1150kg/22.6cwt	1200kg/23.6cwt	1200kg/23.6cwt
Caravan Allowable Pay Load	180kg/3.5cwt	225kg/4.4cwt	195kg/3.8cwt	225kg/4.4cwt	215kg/4.2cwt	215kg/4.2cwt
Awning Sizes (Ground to Ground)	8.40m/27'7"	8.82m/28'11"	8.77m/28'9"	8.83m/29'0"	9.33m/30'7"	9.42m/30'11"
Tyre Sizes	165R13 REINF	175R13 REINF	175R13 REINF	175R13 REINF	175R13 6PLY	175R13 6PLY

DECLARED EX-WORKS WEIGHTS HAVE BEEN INCREASED BY 30kg/0.6cwt TO ALLOW FOR VARIANCES AND OPTIONAL FITTED EQUIPMENT.

## BED SIZES

	400	440	450	480	490 LUX	530
Number of berths	2	2-4	2-5	2	2-5	2-4
Front double	201cm x 152cm (6'7" x 5'0")	201cm x 152cm (6'7" x 5'0")	201cm x 135cm (6'7" x 4'5")	201cm x 152cm (6'7" x 5'0")	201cm x 152cm (6'7" x 5'0")	201cm x 145cm (6'7" x 4'9")
Singles	189cm x 69cm (6'2" x 2'3")	189cm x 69cm (6'2" x 2'3")		189cm x 69cm (6'2" x 2'3")	189cm x 69cm (6'2" x 2'3")	189cm x 69cm (6'2" x 2'3") 182cm x 69cm (6'0" x 2'3")
Rear double			183cm x 116cm (6'0" x 3'10")		180cm x 119cm (5'11" x 3'11")	
Rear single		201cm x 80cm (6'7" x 2'7")	183cm x 69cm (6'0" x 2'3")		180cm x 69cm (5'11" x 2'3")	180cm x 60cm (5'11" x 2'0")
Rear bunk		201cm x 69cm (6'7" x 2'3")	201cm x 69cm (6'7" x 2'3")		201cm x 69cm (6'7" x 2'3")	180cm x 60cm (5'11" x 2'0")

## EXTERIOR

New style exterior shape  
Light weight Al-Ko galvanised steel chassis with Euro Axle  
Exterior door with window and window blind  
3 opening front windows  
Exterior access battery box (excluding battery)  
Easy access gas bottle storage  
Bolt on wheel trims  
Awning light  
Reversing lights

## LOUNGE, DINING AREA

Free standing table with dedicated storage  
Drawer unit with occasional table (6'2" beds only)  
Lined velvet curtains  
2 bolster cushions and scatter cushions to 6'2" beds  
Superior quality soft furnishings

## KITCHEN

Electrolux 70 litre Piezo ignition fridge  
4 burner enamel hob with FFD and grill  
High impact polycarbonate bowl/drainer

## HEATING & PLUMBING

Carver 1800 underfloor flued heater (Azzura 490L, 530 - 3000 heater)  
Gas/electric powered water heater  
Inboard rigid piped pressurised water system  
Fitted shower and vanity unit  
Thetford cassette toilet

## ELECTRICAL

Mains electrics with 2 sockets  
(3 to Azzura 440 & 490L)  
12v socket  
Aerial socket  
12v reading lights  
Fluorescent lights  
12 amp Switch mode charger/transformer  
Modular electrical control console with ELCB  
20 metre mains hook up cable

## FITTINGS & EQUIPMENT


Double glazing with night latch ventilation  
Full window blinds and flyscreens to all opening windows  
Rooflights with night blinds and flyscreens (to main compartment)  
Pull out roller slatted bed  
Moulded framed furniture doors  
Concealed metal wall plates for secure furniture fixing  
Quartz clock

## SECURITY


Single key high security locks  
Identity number etched to windows and stamped on chassis

## OPTION LUXURY PACK


Carver Fanmaster gas/mains electric heater  
Domestic quality interior sprung bedding




Azzura 400




Azzura 440




Azzura 450




Azzura 480



Azzura 490 LUX



Azzura 530



# C H A L L E N G E R S E

	400	440	470	480	490 LUX	500	520	530
Internal Length (at bed box height)	4.27m/14'0"	4.67m/15'4"	4.70m/15'5"	4.70m/15'5"	5.19m/17'0"	5.19m/17'0"	5.30m/17'5"	5.30m/17'5"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"	2.51m/8'3"
Overall Length	5.73m/18'10"	6.14m/20'2"	6.16m/20'3"	6.16m/20'3"	6.66m/21'10"	6.66m/21'10"	6.76m/22'2"	6.76m/22'2"
Ex-Works Weight	870kg/17.1cwt	935kg/18.4cwt*	950kg/18.7cwt	940kg/18.5cwt*	1035kg/20.4cwt	1035kg/20.4cwt*	1030kg/20.3cwt	1030kg/20.3cwt
Maximum Authorised Weight	1060kg/20.8cwt	1150kg/22.6cwt*	1160kg/22.8cwt	1150kg/22.6cwt*	1260kg/24.7cwt	1260kg/24.7cwt*	1260kg/24.7cwt	1260kg/24.7cwt
Caravan Allowable Pay Load	190kg/3.7cwt	215kg/4.2cwt*	210kg/4.1cwt	210kg/4.1cwt*	225kg/4.4cwt	225kg/4.4cwt*	230kg/4.5cwt	230kg/4.5cwt
Awning Sizes (Ground to Ground)	8.40m/27'7"	8.82m/28'11"	8.83m/29'0"	8.83m/29'0"	9.33m/30'7"	9.33m/30'7"	9.42m/30'11"	9.42m/30'11"
Tyre Sizes	165R 13 REINF	175R 13 REINF	175R 13 REINF	175R 13 REINF	175R 13 6PLY	175R 13 6PLY	175R 13 6PLY	175R 13 6PLY

DECLARED EX-WORKS WEIGHTS HAVE BEEN INCREASED BY 30kg/0.6cwt TO ALLOW FOR VARIANCES AND OPTIONAL FITTED EQUIPMENT.

## BED SIZES

	2	2-4	2	2	2-5	2-5	2-4	2-4
Number of berths	2	2-4	2	2	2-5	2-5	2-4	2-4
Front double	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 137cm (6'6" x 4'6")	197cm x 145cm (6'6" x 4'9")	197cm x 145cm (6'6" x 4'9")
Singles	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")
Rear double					180cm x 119cm (5'11" x 3'11")	197cm x 119cm (6'6" x 3'11")		
Rear single		197cm x 80cm (6'6" x 2'8")			180cm x 67cm (5'11" x 2'3")		180cm x 60cm (5'11" x 2'0")	180cm x 60cm (5'11" x 2'0")
Rear bunk		201cm x 69cm (6'7" x 2'3")			201cm x 69cm (6'7" x 2'3")	201cm x 69cm (6'7" x 2'3")	180cm x 60cm (5'11" x 2'0")	180cm x 60cm (5'11" x 2'0")

\* Estimated

## EXTERIOR

New style exterior shape  
Light weight Al-Ko galvanised steel chassis with Euro Axle  
Exterior door with window and window blind  
3 opening front windows  
Exterior access battery box (excluding battery)  
Easy access gas bottle storage  
Bolt on wheel trims  
Awning light  
Reversing lights

## LOUNGE, DINING AREA

Free standing ash edged table with dedicated storage  
Drawer unit with occasional table (6'2" beds only)  
Fitted cocktail cabinet  
Domestic quality interior sprung bedding  
Lined velvet curtains  
2 bolster cushions and scatter cushions to 6'2" beds

## KITCHEN

Electrolux 77 litre electric ignition fridge with full width freezer compartment  
4 burner electronic ignition enamel hob with FFD and grill  
High impact polycarbonate bowl/drainer

## HEATING & PLUMBING

Carver 3000 with Fanmaster electric heating  
Blown air central heating  
Gas/electric powered water heater  
Inboard rigid piped pressurised water system  
Fitted shower and vanity unit  
Electric flush cassette toilet

## ELECTRICAL


Mains electrics with 3 sockets  
12v socket  
Aerial socket  
240v and 12v reading lights  
12 amp Switch mode charger/transformer  
Modular electrical control console with ELCB  
20 metre mains hook up cable

## FITTINGS & EQUIPMENT


Double glazing with night latch ventilation  
Full window blinds and flyscreens to all opening windows  
Rooflights with night blinds and flyscreens (to main compartment)  
Pull out roller slatted beds  
Solid ash framed furniture doors  
Concealed metal wall plates for secure furniture fixing  
Quartz clock  
Door mat tray with brush out facility  
Cassette flyscreen to exterior door

## SECURITY


Single key high security locks  
Identity number etched to windows and stamped on chassis




Challenger 400




Challenger 440




Challenger 470




Challenger 480




Challenger 490 LUX



Challenger 500



Challenger 520



Challenger 530



# C O R N I C H E

	13/2	15/2	15/2E	16/3
Internal Length (at bed box height)	3.99m/13'1"	4.65m/15'3"	4.65m/15'3"	5.29m/17'4"
Overall Width	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"	2.13m/7'0"
Overall Height	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	5.58m/18'4"	6.25m/20'6"	6.25m/20'6"	6.89m/22'7"
Ex-Works Weight	935kg/18.4cwt	1035kg/20.3cwt	1050kg/20.6cwt	1105kg/21.7cwt*
Maximum Authorised Weight	1150kg/22.6cwt	1300kg/25.5cwt	1300kg/25.5cwt	1350kg/26.5cwt*
Caravan Allowable Pay Load	215kg/4.2cwt	265kg/5.2cwt	250kg/4.9cwt	245kg/4.8cwt*
Awning Sizes (Ground to Ground)	7.96m/26'1"	8.62m/28'3"	8.62m/28'3"	9.26m/30'5"
Tyre Sizes	175R 13 REINF	175R 13 6PLY	175R 13 6PLY	175 R 14 6PLY

DECLARED EX-WORKS WEIGHTS HAVE BEEN INCREASED BY 30kg/0.6cwt TO ALLOW FOR VARIANCES AND OPTIONAL FITTED EQUIPMENT.

## BED SIZES

	2	2	2	2-3
Number of berths	2	2	2	2-3
Front double	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 152cm (6'6" x 5'0")	197cm x 137cm (6'6" x 4'6")
Singles	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")
Rear double				
Rear single				180cm x 60cm (5'11" x 2'0")
Rear bunk				

\* Estimated

## EXTERIOR

GRP front, rear, roof and side skirts  
Light weight Al-Ko galvanised steel chassis with Euro Axle  
Extensor door with window and window blind  
3 opening front windows  
Exterior access battery box (excluding battery)  
Easy access gas bottle storage  
Bolt on wheel trims  
Awning light  
Reversing lights

## LOUNGE, DINING AREA

Free standing ash edged table with dedicated storage  
Drawer unit with occasional table  
Fitted cocktail cabinet  
Domestic quality interior sprung bedding  
Lined velvet curtains  
2 bolster cushions and scatter cushions to 6'2" beds

## KITCHEN

Electrolux 77 litre electric ignition fridge with full width freezer compartment  
Stoves thermostatic electric ignition oven  
4 burner electronic ignition enamel hob with FFD and grill  
Pull out extractor hood in kitchen  
High impact polycarbonate bowl/drainer

## HEATING & PLUMBING

Carver 3000 with Fanmaster electric heating  
Blown air central heating  
Gas/electric powered water heater  
Inboard rigid piped pressurised water system  
Insulated fresh water tank  
Fitted shower and vanity unit  
Electric flush cassette toilet

## ELECTRICAL


Mains electrics with 3 sockets  
12v socket  
Aerial socket  
TV aerial and booster  
240v and 12v reading lights  
Low level interior lighting  
12 amp switch mode charger/transformer  
Modular electrical control console with ELCB  
Philips retractable stereo radio cassette  
20 metre mains hook up cable

## FITTINGS & EQUIPMENT


Double glazing with night latch ventilation  
Full window blinds and flyscreens to all opening windows  
Rooflights with night blinds and flyscreens (to main compartment)  
Cassette flyscreen to exterior door  
Pull out roller slatted bed  
Solid ash framed furniture doors  
Concealed metal wall plates for secure furniture fixing  
Quartz clock  
Door mat tray with brush out facility  
Spare wheel and tyre  
Scissor jack

## SECURITY


Passive infra red security alarm  
Single key high security locks  
Identity number etched to windows and stamped on chassis




Corniche 13/2



Corniche 15/2



Corniche 15/2E



Corniche 16/3



# C O N Q U E R O R

550  
LUX

550  
SALON

560  
SALON

640  
SALON

Internal Length (at bed box height)	5.50m/18'0"	5.50m/18'0"	5.70m/18'8"	6.35m/20'10"
Overall Width	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"	2.22m/7'3"
Overall Height	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"	2.71m/8'11"
Overall Length	6.97m/22'10"	6.97m/22'10"	7.17m/23'6"	7.84m/25'9"
Ex-Works Weight	1180kg/23.2cwt	1165kg/22.9cwt	1210kg/23.8cwt*	1305kg/25.6cwt
Maximum Authorised Weight	1500kg/29.4cwt	1500kg/29.4cwt	1500kg/29.4cwt*	1600kg/31.4cwt
Caravan Allowable Pay Load	320kg/6.3cwt	335kg/6.6cwt	290kg/5.7cwt*	295kg/5.8cwt
Awning Sizes (Ground to Ground)	9.52m/31'3"	9.52m/31'3"	9.75m/32'0"	10.37m/34'0"
Tyre Sizes	155R13	155R13	155R13	155R13

DECLARED EX-WORKS WEIGHTS HAVE BEEN INCREASED BY 30kg/0.6cwt TO ALLOW FOR VARIANCES AND OPTIONAL FITTED EQUIPMENT.

## BED SIZES

Number of berths	2-5	2-5	4	2-4
Front double	206cm x 152cm (6'9" x 5'0")	191cm x 137cm (6'3" x 4'6")	191cm x 137cm (6'3" x 4'6")	206cm x 152cm (6'9" x 5'0")
Singles	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")	189cm x 67cm (6'2" x 2'3")
Rear double	206cm x 116cm (6'9" x 3'10")	206cm x 116cm (6'9" x 3'10")		191cm x 140cm (6'3" x 4'7")
Rear single			180cm x 60cm (5'11" x 2'0")	191cm x 68cm (6'3" x 2'3")
Rear bunk	210cm x 69cm (6'11" x 2'3")	210cm x 69cm (6'11" x 2'3")	180cm x 60cm (5'11" x 2'0")	

\* Estimated

## EXTERIOR

Light weight Al-Ko galvanised steel chassis with Euro Axle  
 Exterior door with window and window blind  
 3 opening front windows  
 Exterior access battery box  
 (excluding battery)  
 Easy access gas bottle storage  
 Bolt on wheel trims  
 Awning light  
 Reversing lights

## LOUNGE, DINING AREA

Free standing ash edged table with dedicated storage  
 Drawer unit with occasional table (6'2" beds only)  
 Fitted cocktail cabinet  
 Domestic quality interior sprung bedding  
 Lined velvet curtains  
 2 bolsters cushions and scatter cushions to 6'2" beds

## KITCHEN

Electrolux 77 litre electric ignition fridge with full width  
 freezer compartment  
 Stoves thermostatic electric ignition oven  
 4 burner electronic ignition enamel hob with FFD and grill  
 High impact polycarbonate bowl/drain  
 Wall mounted extractor fan

## HEATING & PLUMBING

Carver 3000 with Fanmaster electric heating  
 (Carver 5000 gas heater only in Conqueror 640)  
 Blown air central heating  
 Gas/electric powered water heater  
 Inboard rigid piped pressurised water system  
 Inboard fresh water tank  
 Fitted shower and vanity unit  
 Electric flush cassette toilet

## ELECTRICAL


Mains electrics with 3 sockets  
 12v socket (2 in Conqueror 550 & 640 Salon)  
 Aerial socket  
 (2 in Conqueror 550 & 640 Salon)  
 TV aerial and booster  
 240v and 12v reading lights  
 12 amp switch mode charger/transformer  
 Modular electrical control console with ELCB  
 20 metre mains hook up cable

## FITTINGS & EQUIPMENT


Double glazing with night latch ventilation  
 Full window blinds and flyscreens to all  
 opening windows  
 Rooflights with night blinds and flyscreens  
 (to main compartment)  
 Cassette flyscreen to exterior door  
 Pull out roller slatted bed  
 Solid ash framed furniture doors  
 Concealed metal wall plates for secure  
 furniture fixing  
 Quartz clock  
 Door mat tray with brush out facility  
 Spare wheel and tyre  
 Scissor jack  
 Omnivent 12v powered roof fan

## SECURITY

Passive infra red security alarm  
 Single key high security locks  
 Identity number etched to windows and stamped on  
 chassis




Conqueror 550 LUX



Conqueror 550 SALON



Conqueror 560 SALON



Conqueror 640 SALON



Domestic style Stoves oven



Modular electric control console



Fanmaster gas/electric heater



Exterior door flyscreen

# FEATURES



Soft shut seal for quiet closing action




Passive Infra Red alarm system



Crockery cupboard



Cocktail cabinet



Electrolux fridge with electronic ignition and full width freezer compartment



Fully slatted bed box tops in cassette



Seat back ventilation boards

Note: Not all features are fitted in every model. Refer to range fact sheets for individual model specification.

# AFTER SALES SERVICE

Swift's nationwide dealers are all carefully chosen to ensure the standard of quality built into each Swift caravan is matched by the standard of all round service they can provide.

At Swift we strive to offer a level of customer care service that meets the changing needs of the caravanning public.

A hand picked team of

specialists supported by the latest computer technology control a head office customer care operation designed to support Swift dealers and Swift owners nationwide with comprehensive help and advice on all group products.


The after sales operation is one of the largest in Europe. Based in a purpose built warehouse adjacent to the Northmoor production complex, it uses a sophisticated computerised control





system to record the thousands of spare parts held on stock to service and repair all Swift models.

After sales delivery vehicles, with special demountable bodies, provide a year round supply of those vital spare parts to the dealer network on a

weekly basis. And with dealer workshop staff attending regular service courses at the company's purpose built training centre, every Swift customer can rest assured that they are receiving the most professional help available.



Nationwide Network of professional dealers





tours operate on certain days from April to September each year, and provide you with a unique opportunity to see the care and precision with which we build our caravans.

The tours are by appointment only, and to reserve a place please contact our Marketing Services Department on the telephone number shown at the back of this brochure. Booking is

## FACTORY TOURS

At Swift we do not just talk about building a better caravan we invite anyone owning or considering buying one of our products to come and see one of Europe's most sophisticated caravan production plants in operation for themselves.

This confidence in our products led us to introduce the industry's first formal factory tour programme in 1993. These



essential as places are pre-allocated, and a small charge is made.

As pioneers in this area, Swift is still only one of a few companies to offer this facility. The tours are designed to show you why Swift products have become the most sought after in the market.

By the end of the tour you will not only have seen how Swift build a better caravan, but will also understand why in owning a Swift you are investing in a unique blend of quality and style.



Your local dealer



Swift Caravans, Dunswell Road, Cottingham,  
North Humberside HU16 4JX.  
Tel: 01482 847332 Fax: 01482 841042



All caravans are manufactured for towing behind normal road cars and are not suitable for towing behind commercial vehicles other than passenger car derivatives. If in doubt, please consult Swift Caravans. This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. The caravans in this brochure conform to British Standards for Touring Caravans BS4626 and BS6765.

Cars courtesy of Vauxhall Motors. Props supplied by Hammonds, part of House of Fraser.