

Introduction



The Swift Caravans 2001 range is the result of more than three decades of quality and innovation which has earned Swift the distinction of being revered as the thoroughbred of the touring caravan world.

Swift designers and craftsmen constantly explore new channels to upgrade existing models and develop exciting new layouts, resulting in a 27 strong fleet of tourers including the stunning new Charisma range.

The Corniche, Conqueror, Challenger and Charisma ranges all display the loving care and attention to detail that makes Swift the setter of standards, and a winner of countless awards over the years.

Quality with style has been Swift's motto for many years. Investment in advanced computer technology ensures that all models are produced to the same uncompromising quality, whilst Computer Aided Design techniques allow the designers to consider every possible improvement option before a prototype is even built.

Such technology automatically checks safety and stability variances at blue print stage. Even so, Swift engineers conduct over 200 stringent manual tests in their drive for perfection. This commitment ensure all models comply with the latest European Legislation and has earned Swift the prestigious ISO 9001 certificate for the standard of quality systems operated by the company.

A massive investment in the latest manufacturing technology has enabled Swift to produce engineering standards of accuracy in furniture construction. This unique system gives dual benefits of the finest quality finish and totally rigid construction.

Total customer satisfaction is top priority at Swift, and the quality ethos extends to the Supercare aftersales service and SuperSure manufacturer's 3 year warranty that come with every new Swift tourer. Everything is provided to ensure you have a relaxing holiday, The Swift Way.



Corniche



Conquero



Challeng



Charisma

Corniche





Corniche 15/2





Corniche 17/3

The Corniche is a tourer for the discerning. It has an individual streamlined signature created through the skilled use of GRP and a level of interior refinement which takes you into a new dimension of touring. Korsika apple colour furniture and Belgium cotton print fabric gives interior warmth, while Italian designer furniture by Tecnoform with satin steel handles sets a new style.



Corniche 15/2

Soft lighting from downlighters illuminates the slot in Stoves oven with matching recessed enamelled steel sink, 86 litre Electrolux fridge and luxury vanity equipment with handcrafted cabinets. Every detail shows careful consideration to design and functionality.








Conqueror








Conqueror 630

The twin-axle Conqueror has become synonymous with impressive style and high standards. New heavy duty corner steadies, improved wardrobe layout, centre dinette curtain storage and a new 86 litre Electrolux power fridge are just some of the new features that raise the standards for 2001. A new 650 model joins the range.



Italian designer Korsika apple colour furniture by Tecnoform with new chenille fabric lends warmth to the spacious interiors. New dual heating by Truma, flush fitting sink and slot in Stoves oven give a taste of the overall high level of specification.



Above: Conqueror 640 Below: Conqueror 580





Conqueror 580 SAL

The new 650 LUX offers spacious seating with a large front lounge and rear parallel seating with single dinette. A large centre kitchen, wardrobe with full width hanging space and fully fitted washroom and shower cater for all the family.



Above and below: Conqueror 650





Hope you enjoy it as much as we hove.

Challenger





Challenger 520



Challenger 520

The Challenger is the award winning, firm favourite with the committed caravanner. Two new models will tempt couples and families. The 460 offers a vast L-shape front lounge and the large SB washroom while the new 550 offers a front and rear lounge with space for a separate shower and washroom.



Challenger 520

All models offer the perfect blend of style, with Italian designer furniture by Tecnoform in Korsika apple and sculptured upholstery in luxurious chenille fabric. A high level of specification includes new Truma heating and hot water system, improved wardrobe space, flush fitting kitchen with slot in Stoves oven, recessed sink and new 77 litre Electrolux power fridge.



Above: Challenger 480 Below: Challenger 550





Challenger 500

Challenger 500 rear GRP panel

Charisma





Charisma 550

Charisma 560

All new for 2001, the Charisma attracts your attention with its stylish new body shell incorporating curving lights and panels, a high level brake light and exclusive wheel trims. Increased width and height create a spacious, light interior with Italian furniture styling by Tecnoform in Korsica apple, luxury chenille fabric and a large panoramic roof light.



A diverse range of layouts are featured within the 7 models including a fixed bed option with wrap round front seating. The impressive specification includes a flush fitting kitchen with slot in Stoves oven, Truma heating and hot water system and beech sprung bed slats with cantilever hinged action for easy access. The Charisma - outstanding value for money that is designed to appeal.



Above: Charisma 230 Below: Charisma 220






▼ Challenger 480

▼ Conqueror 650

▼Corniche 17/3







▲ Charisma 545

▲ Charisma 560

Washroom options

Constant development of washrooms and changing areas in all four Swift ranges provides practical layouts that offer the greatest possible choice in this key area.

NT Washroom

Available on the following models:

Challenger 520 Corniche 15/2E NT Corniche 17/3 NT



SB Washroom

Available on the following models:

Charisma 230 Corniche 15/2E SB Corniche 17/3 SB Charisma 235 Charisma 560 Conqueror 580 SB Challenger 480 SAL/LUX

Challenger 530




Centre Layout Washroom

Available on the following models: Charisma 540 Conqueror 640

Charisma 545 SAL/LUX Challenger 490 Conqueror 650 LUX

Challenger 490L



Charisma 220 Challenger 400



Centre Luxury Washroom Available on the following models:

Conqueror 610 LUX Challenger 550



End Luxury Washroom Available on the following model:

Conqueror 630 LUX



Corniche features



EXTERIOR

New for 2001 Revised graphics

- External aerial socket in battery box
- Heavy duty corner steadies
- External wet locker with integrated mains socket
- Heki 2 rooflight with flyscreen and blind
- Exterior quick release door retainer
- Wheel trims in chrome
- 'A' frame cover light
- All models comply with European Standards
- Al-Ko galvanised steel chassis with Euro-Axle
- GRP front and rear panel with high level brake light
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)
- External barbecue point



- Easy access gas bottle storage with gas
- strut support Awning light
- Light clusters incorporating ston/tail_indicator and reverse lights
- Side direction repeater lights
- TV aerial and amplifier
- 14" wheels and tyres.
- Electrolux fridge vents for ease of maintenance

LOUNGE/DINING AREA

New for 2001

- Improved wardrobe layout in SB models
- Individually designed fabrics for 2 and 3 berth models continue
- Lift up easy access beech sprung bed slats
- Co-ordinated curtains and pelmets to the designer upholstery
- Furniture with 'Korsica Apple' furniture board and Italian designer ash
- furniture doors Welsh dresser incorporating cocktail cabinet



with tinted doors, CD player and storage

- Down lighters over welsh dresser
- Curved drawer occasional table

- Free standing ash edged table with dedicated storage location
- Domestic quality interior sprung bedding and back rests
- Removable bound edged carpet over easy clean vinyl cushion floor

KITCHEN

New for 2001

- 86 litre Electrolux power fridge
- Improved concealed microswitch Reich tap within kitchen sink unit
- Green recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Pull out sink unit basket storage
- Pull out work ton extension/chopping board
- Latest generation domestic slot in Stoves oven with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure
- Safety hob lid with gas cut out feature

WASHROOM

- One piece sealed shower cubicle in luxury NT washrooms with built in wall mirrors and integral storage
- SB washroom with corner vanity cabinet, additional storage and down lighters
- Electric flush Thetford cassette toilet with header tank

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with Ultraheat ducted blown air system
- Truma Ultrastore water heater
- Under slung water tank 9 gallons, fully insulated with integral water level sensor
- Waste water tank
- Microswitched water system with domestic style mono block single action taps
- Inboard rigid piped microswitched water system
- Large bore underslung rigid waste water system

ELECTRICAL

New for 2001

- Key fob operation to 12v isolation and entry light
- Electrical control panel over exterior door featuring 12v isolation, interior entry switch, alarm, battery and water level indicators
- Olimmer switch to mains lights
- Modern mains reading lights
- Silver sand circular ceiling lights Philips radio/CD player

- 12 amp switch mode charger/transformer
- Halogen interior lights Mains electrics with
- four 230v sockets (one exterior)
- TV station with 230v/12v and aerial connections
- 230v and 12v reading lights
- 25m electric hook up cable

FITTINGS & EQUIPMENT

- Locker construction for rigidity and strength
- Ash framed Tecnoform Italian locker doors with raised profile centre panel
- Co-ordinated satin steel locker handles
- Curved worktops in matching woodgrain or slate effect laminate
- Caravan entrance step
- Double glazing with night latch ventilation
- Full window blinds and flyscreens to all opening windows
- Cassette flyscreen to exterior doorway
- Multi-directional roof lights and sliding blind and flyscreen
- Pull out roller slatted
- heds Ventilation boards to back rests
- Ouartz clock
- Concealed metal. wall plates and timbers for secure furniture fixina
- Spare wheel and tyre
- Side operated jack
- External barbecue point
- Door mat with brush out facility
- Omnivent two way 3 speed fan
- Removable garment rail in shower compartment
- Smoke alarm

SECURITY

- Polyplastic windows with concealed locks
- Concealed security data chip within caravan construction
- Passive infra-red security alarm
- Single key high security locks
- Identity number etched to windows and stamped on chassis
- Lockable corner steadies (locks not supplied)



Conqueror features



New 650 model

EXTERIOR New for 2001 Updated graphics

- Heavy duty corner steadies Silver wheel trims
- External aerial socket in battery box
- Wet locker incorporating 13 amp socket
- Exterior quick release door retainer
- Two piece side panels for smoother lines. All models comply with European Standards
- Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights
- Upgraded Al-Ko galvanised steel chassis with Euro-Axle
- Heki 2 roof light with flyscreen blind
- Exterior door with window and window blind
- Exterior access battery box (excluding battery)



- Easy access gas bottle storage with gas strut to door
- External gas barbecue point
- Electrolux fridge vents for ease of maintenance
- Awning light
- Side direction indicator repeater lights
- TV aerial and amplifier system
- Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA

New for 2001

- All models now with popular chenille fabric
- Velvet curtains to match
- New improved wardrobe layout in 630
- Improved centre dinette curtain storage (580)
- Seating in 580 side dinette designed for comfort and legroom
- 'Korsica Apple' style furniture board with Italian designer ash furniture doors
- Lift up easy access beech sprung bed slats Freestanding ash edged table with
- dedicated storage area Drawer unit with occasional table (not



- available in Salon models)
- cabinet Domestic quality interior sprung bedding and

backrests

Fitted cocktail

- New optional 6 berth lavout in 650.
- Overhead lockers above front windows

KITCHEN

New for 2001

- 86 Litre Electrolux power fridge
- Improved concealed microswitch Reich tan within kitchen sink unit
- Burgundy kitchen equipment
- Recessed enamelled steel sink and drainer incorporating flush fitting glass hinged worktop
- Latest generation domestic slot in Stoves oven with flush fitting top. 4 burner hob. oven, grill, pan storage and flame failure
- Safety hob lid with gas cut out feature
- Champagne kitchen colour option
- Ergonomically designed large kitchen unit

WASHROOM

- SB washroom with corner cabinet, storage and down lighters in 580 Improved centre washroom
- Electric flush Thetford cassette toilet with header tank Luxury washrooms with built in wall mirrors.

integral storage (layout varies dependent on

matching shower and vanity unit and

Airing cupboard in 630

HEATING & PLUMBING

New for 2001

- Truma 3002 3kw space heater with
- Ultraheat ducted blown air system Truma Ultrastore water heater
- New under slung water tank 9 gallons, fully integrated with integral water level
- Waste water container provided
- Microswitch water system with single action taps colour co-ordinated to all Incations
- Large bore underslung rigid waste water system
- Inboard rigid piped fresh water system

ELECTRICAL

- Electrical control panel over entrance door featuring 12v isolation, interior entry switch and alarm
- Mains electrics with four 230v sockets (one external)
- 25m mains hook up cable 230v and 12v reading lights
- TV station with 230v/12v/aerial connection (Two for 610, 640 and 650 models)
- 12amp switch mode charger/transformer

Dedicated radio/CD/cassette location (radio/CD/cassette not supplied) prewired speakers for ease of installation

Round halogen



ceiling lights Omnivent 3 speed fan and skylight

FITTINGS & EQUIPMENT

- Improved curved feel to all furniture and mouldings
- Quality locker construction for rigidity and strength Tecnoform Italian designed aircraft style
- locker upper doors Co-ordinated curved locker handles.
- slate effect laminate
- Bunk ladder (where bunks supplied)
- Full blinds and flyscreens to all opening
- to exterior doorway Multi-directional roof vents with sliding blinds and

Cassette flyscreen

- flyscreen (to main compartment) Pull out roller
- slatted heds
- Ventilation boards to back rests Ocncealed metal wall plates and timbers for
- secure furniture fixing
- Ouartz clock
- Spare wheel and tyre Jack system using scissor jack and dedicated mount Door mat with brush out facility

Removable garment rail in NT and SB

models Smoke alarm

- SECURITY Passive infra-red security alarm
- Single key high security locks
- Identity numbers etched to windows and stamped on chassis Lockable rear corner steadies (lock not
- supplied) Polyplastic windows with concealed locks and stays with
- Concealed security data chip within caravan construction

hinge bar

concealed fixing of





Challenger features



2 new models. 460 and 550

Revised 400

EXTERIOR New for 2001

Stylish graphics

14" wheels

Silver wheel trims

External aerial socket in battery box

 All models comply with European Standards Wet locker incorporating 13 amp socket.

Heki 2 rooflight with flyscreen and blind

 Smooth style exterior body shape with two piece side panels

 Aerodynamically efficient styled GRP front panel and back panel incorporating a high level spoiler with brake light and Caraluna light clusters with stop, tail, side, fog and reversing lights

 Wheel arch fairings complement the bodyshell

 Al-Ko galvanised chassis with Euro-Axle Exterior quick release door retainer



 Exterior door with window and window blind

Full exterior door cassette flyscreen

 Exterior access battery box (excluding

 Electrolux fridge vents for easy maintenance and inspection

 Easy access gas bottle storage with gas strut supported door

 Heated external access locker (SB models) only)

Black screen printed windows

All windows opening and double glazed

Side direction indicator repeater lights

Awning light

Status TV aerial and amplifier system

Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA

New for 2001

Dedicated L front in 460 model

 Dedicated storage for centre dinette curtain in 520/530 models

 Centre dinette designed for improved legroom and seating (520/530)



New improved wardrobe layout in featuring extra hanging space

Furniture board in Korsica Apple

Lift up easy access beech sorung bed slats

Luxury modern designer chenille fabric

Velour co-ordinated curtains and pelmets.

 Sculptured corner and armrest cushions Front beds 1920mm (6'31/2") in most models

 Freestanding ash edged table with. dedicated storage area

O Drawer unit with occasional table (parallel front layout only)

Fitted cocktail cabinet

 Domestic quality interior sprung upholstery including backrest

Two scatter cushions

Overhead front lockers for extra storage

KITCHEN

New for 2001.

77 litre Electrolux power fridge

 Improved concealed microswitch Reich tap within kitchen sink unit

Improved storage with pull out baskets

Burgundy kitchen equipment

 Recessed burgundy enamelled steel sink and drainer incorporating flush fitting glass hinged worktop

Pull out sink unit basket storage

 Latest generation domestic slot in Stoves oven in matching burgundy with flush fitting top, 4 burner hob, oven, grill, pan storage and flame failure device

Safety hob lid with gas cut out feature

Champagne kitchen colour option

I shaped kitchen in 500 with swivel TV

WASHROOM

New for 2001

New model 550 with separate walk-in shower facility

One piece sealed shower cubicle in NT washrooms

 SB washroom with corner cabinet additional storage and down lighters

 Electric flush Thetford toilet with built in header tank

Chrome effect Reich washroom taps

Washrooms in 460, 480 and 530 models with attractive shower area with sliding circular shaped door

 Luxury washroom suite with built in wall mirrors and matching vanity unit with integral storage (490/490L and 400)

HEATING & PLUMBING

New for 2001

Truma 3002 3kw space heater with Ultraheat ducted blown air system

Truma Ultrastore water heater

 Meets grade 2 classification for thermal heating and insulation

Microswitch plumbing system

Inboard rigid piped fresh water system

 Large bore rigid waste nines

ELECTRICAL

 Electrical control panel mounted over entrance door featuring 12v isolation and interior entry switch



Mains electrics with three 230v sockets

12v socket

230v and 12v reading light

Switchmode charger/transformer

25m mains hook up cable connection

Sophisticated electrical control panel with

Circular halogen centre ceiling lights

FITTINGS & EQUIPMENT

 Improved curved feel to all furniture and mouldings

Locker construction for rigidity and strength

 Tecnoform Italian designed aircraft style locker upper doors

Co-ordinated curved locker handles

 Curved worktops in matching woodgrain or slate effect laminate

 Bunk ladder (where bunks supplied)

 Caravan entrance step



O Double glazing with night latch ventilation and concealed fasteners

 Full window blinds and flyscreens to all opening windows

 Multi-directional roof lights with sliding blind and flyscreen to main compartment

Ventilation boards to back rests (except

 Concealed metal wall plates and timber for secure furniture fixing Removable garment rail in NT and SB

O Doormat and tray with brush out facility

Ouartz clock

Deep hardwood edges to all work surfaces

Smoke alarm

SECURITY

Oconcealed security data chip within the caravan construction

Single key high security locks

Identity number etched to windows and stamped on chassis



Charisma features



New models for 2001

220, 230, 235, 540, 545, 550 and 560

EXTERIOR

New for 2001 All new body shell

Overall width 2.16m/7'1"

Overall Height 2.76m/9'1"

New graphics

Full GRP front panel

 Lower ABS back panel with Hella Caraluna light clusters including reversing/fog light

High level brake light

• 14" wheels

Exclusive wheel trims

New wheel arch fairings

 Exterior access locker door 2 piece side panel construction

All windows opening and double glazed

Heki 2 rooflight with flyscreen and blind



Exterior quick release door retainer

 All models comply with European Standards

 Lightweight Al-Ko galvanised steel chassis with Euro-Axle

Exterior door with window and blind

 Exterior access battery box (excluding hattery)

Easy access gas bottle storage area with

gas strut support

Awning light High level side marker lights

TV aerial with amplifier

 Electrolux fridge vents for easy maintenance and inspection

Fixing points for rear mounted cycle rack

LOUNGE/DINING AREA New for 2001

 Chenille fabric with complementing carpet and curtains

New furniture construction



 Tecnoform curved aircraft style locker doors

Beech sprung bed slat construction with cantilever hinged action for easy access

Dedicated curtain storage location in the

Fixed bed layout 550

Deep ash edge to worktops Eurniture board in Korsica Apple

Occktail cabinet in off side front locker for ease of access

Shaped backrests and corner cushions.

 Drawer unit with occasional table on narallel layout

Front heds 1920mm (6'31/2") except 550.

 Superior quality domestic style sprung bedding including backrests (excluding side dinettes and bunks)

• Freestanding table with dedicated storage area

 Split front base cushions 60/40 for easy bed make up

KITCHEN

New for 2001

Improved work surfaces in slate laminate

 Stoves one piece domestic style cooker with four hob rings and flush glass lid

 Automatic gas cut off to cooker lid Recessed sink in matching enamel with

 New concealed micro switch Reich tap Electrolux 77 litre fridge with full width

freezer

flush glass over top

WASHROOM Improved end washroom layout (230, 235.

 Wall board in decorative Kempton stripe Washroom in SB layout with fully sealed

circular shower cubicle Large window in centre washrooms

• Fully fitted vanity units with mixer tap Thetford cassette toilet

• Full width mirror over vanity unit

HEATING & PLUMBING New for 2001

Truma 3002 3kw space heater with Ultraheat ducted blown air system

Truma Ultrastore water heater

Microswitch plumbing system

Inboard rigid piped water system

 Meets grade 2 classification for thermal heating and insulation

Large bore underslung waste pipes

ELECTRICAL

New for 2001

12v distribution panel by exterior door

 Silver sand circular halogen ceiling lights Silver sand reading

lights Adjustable 12v lighting to front

lockers Fluorescent light under china locker

Main reading lights with shades

Full mains electrics with two 230v sockets TV station with 230v/12v and aerial

12v and 230v reading lights

 Vanity light and mirror to SB compartment Switch mode charger/transformer with

25m mains hook up facility

FITTINGS & EQUIPMENT

New for 2001 Chest option to new layout 550 Beech sprung bed

slats for centre dinette lavout 560 Revised wardrobe with increased

hanging space Domestic style

cabinet hinges Caravan entrance

 Bunk ladder (where bunks provided) Double glazing with night latch ventilation Full window blinds and flyscreens to all

opening windows Roof lights with night blinds and flyscreens

main compartment) Exterior door flyscreen

Pull out roller slatted beds

for secure furniture fixing

Stylish cabinet door handles

models (excluding 550)

 Fitted doormat Concealed metal wall plates and timber rails

Wooden partition doors to rear bedroom

Smoke alarm SECURITY


 Concealed security data chip within carayan construction


 Identity number etched to window and chassis stamped


 High security single key operation




Corniche technical information dimensions and weights









Model	15/2 NT
Berths	2
Defins	L
Internal Length (At bed box height)	4.70m/15'5"
Overall Width	2.16m/7'1"
Overall Height (Including TV aerial)	2.76m/9'1"
Overall Length	6.40m/21'0"
Mass in Running Order (Inc. 3% tolerance)	1155kg/22.7cwt
Essential Habitation Equipment Payload	115kg/2.3cwt
Personal Effects Payload	105kg/2.1cwt
Optional Equipment Payload	35kg/0.7cwt
Maximum Technical Permissible Laden Mass	1410kg/27.8cwt
Awning A/A Dimension	8.84m/29'0"
Tyre Size	175R14 99

15/2 SB
2
4.70m/15'5"
2.16m7'1"
2.76m/9'1"
6.40m/21'0"
1155kg/22.7cwt
115kg/2.3cwt
105kg/2.1cwt
35kg/0.7cwt
1410kg/27.8cwt
8.84m/29°0"
175R14 99

17/3 NT	17/3 SB
3 opt 4	3 opt 4
5.36m/17'7"	5.36m/17'7"
2.16m/7'1"	2.16m/7'1"
2.76m/9'1"	2.76m/9'1"
7.06m/23'2"	7.06m/23'2"
1248kg/24.6cwt*	1248kg/24.6cwt*
115kg/2.3cwt	115kg/2.3cwt
131kg/2.6cwt	131kg/2.6cwt
46kg/0.9cwt	46kg/0.9cwt
1540kg/30.3cwt	1540kg/30.3cwt
9.50m/31'2"	9.50m/31'2"
175R14 99	175R14 99

bed sizes

Front Double [†]	201cm x 192cm/6'7" x 6'4"
or One Single	192cm x 66cm/6'4" x 2'2"
and One Single	192cm x 66cm/6'4" x 2'2"
Side Single (n/s)	
Sida Runk	

cm x 192cm/6'7" x 6'4"	201cm x 183cm/6'7" x 6'0"
cm x 66cm/6'4" x 2'2"	183cm x 66cm/6'0" x 2'2"
cm x 66cm/6'4" x 2'2"	190cm x 66cm/6'3" x 2'2"
	180cm x 66cm/5'11" x 2'2"
	172cm x 58cm/5'8" x 1'11"

201cm x 183cm/6'7" x 6'0" 183cm x 66cm/6'0" x 2'2" 190cm x 66cm/6'3" x 2'2" 180cm x 66cm/5'11" x 2'2" 172cm x 58cm/5'8" x 1'11"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. †Double bed size is quoted with wrap round seating.

^{*}Denotes estimated weight.

Conqueror technical information dimensions and weights

	USCALLAND AND AND AND AND AND AND AND AND AND	TOTALDA TOTALD	TOCALES TOC	STATE OF THE PARTY	10001101 100011	THE STATE OF THE S	COCAMA STATE OF THE STATE OF TH
Model	580 LUX	580 SAL	610 LUX	630 LUX	640 LUX	640 SAL	650 LUX
Berths	4	4	5	4	5	5	5 opt 6
Axles	2	2	2	2	2	2	2
Internal Length (At bed box height)	5.85m/19'2"	5.85m/19'2"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"	6.35m/20'10"
Overall Width	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"	2.23m/7'4"
Overall Height (Including TV aerial)	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"	2.75m/9'0"
	7.45m/24'5"	7.45m/24'5"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"	7.95m/26'1"
Overall Length				1451kg/28.6cwt	1425kg/28.0cwt	1425kg/28.0cwt	1415kg/27.9cwt*
Mass in Running Order (Inc. 3% tolerance)	1320kg/26.0cwt	1320kg/26.0cwt	1435kg/28.3cwt				
Essential Habitation Equipment Payload	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	115kg/2.3cwt	123kg/2.4cwt	123kg/2.4cwt	123kg/2.4cwt
Personal Effects Payload	135kg/2.7cwt	135kg/2.7cwt	150kg/3.0cwt	140kg/2.8cwt	150kg/3.0cwt	150kg/3.0cwt	160kg/3.2cwt
Optional Equipment Payload	30kg/0.6cwt	30kg/0.6cwt	35kg/0.7cwt	34kg/0.7cwt	32kg/0.6cwt	32kg/0.6cwt	37kg/0.7cwt
Maximum Technical Permissible Laden Mass	1600kg/31.5cwt	1600kg/31.5cwt	1735kg/34.2cwt	1740kg/34.3cwt	1730kg/34.1cwt	1730kg/34.1cwt	1735kg/34.2cwt
Awning A/A Dimension	10.00m/32'10"	10.00m/32'10"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"	10.50m/34'5"
Tyre Size	155R13 78	155R13 78	165R13 83T				
bed sizes							
Front Double [†]	205cm x 192cm/6'9" x 6'4"	205cm x 137cm/6'9" x 4'6"	205cm x 192cm/6'9" x 6'4"	205cm x 183cm/6'9" x 6'0"	205cm x 192cm/6'9" x 6'4"	205cm x 137cm/6'9" x 4'6"	205cm x 192cm/6'9" x 6'4"
or One Single	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"	183cm x 68cm/6'0" x 2'3"	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"
and One Single	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"	192cm x 68cm/6'4" x 2'3"		192cm x 68cm/6'4" x 2'3"
Rear Double			193cm x 137cm/6'4" x 4'6"	190cm x 137cm/6'3" x 4'6"	205cm x 137cm/6'9" x 4'6"	205cm x 137cm/6'9" x 4'6"	205cm x 137cm/6'9" x 4'6"
Rear Bunk	100 (0 (7)	100 (0 (0)11 000	193cm x 58cm/6'4" x 1'11"		205cm x 58cm/6'9" x 1'11"	205cm x 58cm/6'9" x 1'11"	177 / 0 / [110" 919"
Side Single (o/s)	180cm x 68cm/5'11" x 2'3"	180cm x 68cm/5'11" x 2'3"					177cm x 68cm/5'10" x 2'3" 177cm x 68cm/5'10" x 2'3"
Side Single (n/s) Side Bunk	172cm x 58cm/5'8" x 1'11"	172cm x 58cm/5'8" x 1'11"					177cm x 58cm/5'8" x 1'11"
Optional Bunk	D Edity Jodily J O X 1 11	17 Zuil x 30dilly 3 0 X 1 11					172cm x 58cm/5'8" x 1'11"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weight. †Double bed size is quoted with wrap round seating.

^{*}Denotes estimated weight.


Challenger technical information dimensions and weights


	TOCALLY AND TOTAL PROPERTY OF THE PROPERTY OF	THE COLUMN	THE STATE OF THE S	TOTAL	THE THE PARTY OF T	TOTAL SECTION STORY OF	TESTED THE TESTED	TOTAL	THE THE PARTY OF T
Model	400	460	480	490L	490	500	520	530	550
Berths	2	2	2	5	5	4	4	4	5
Internal Length (At bed box height)	3.94m/12'11"	4.70m/15'5"	4.70m/15'5"	5.30m/17'5"	5.30m/17'5"	5.09m/16'8"	5.23m/17'2"	5.23m/17'2"	5.53m/18'2"
Overall Width	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.16m/7'1"	2.23m/7'4"	2.16m/7'1"	2.16m/7'1"	2.23m/7'4"
Overall Height (Including TV aerial)	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"	2.76m/9'1"
Overall Length	5.52m/18'1"	6.29m/20'7"	6.29m/20'7"	6.89m/22'7"	6.89m/22'7"	6.67m/21'11"	6.81m/22'4"	·	
								6.81m/22'4"	7.12m/23'4"
Mass in Running Order (Inc. 3% tolerance)	956kg/18.8cwt*	1048kg/20.6cwt*	1048kg/20.6cwt	1175kg/23.1cwt	1180kg/23.2cwt	1120kg/22.1cwt	1158kg/22.8cwt	1158kg/22.8cwt	1207kg/23.8cwt*
Essential Habitation Equipment Payload	90kg/1.8cwt -	82kg/1.6cwt	82kg/1.6cwt	90kg/1.8cwt	90kg/1.8cwt	82kg/1.6cwt	82kg/1.6cwt	82kg/1.6cwt	90kg/1.8cwt
Personal Effects Payload	96kg/1.9cwt	104kg/2.0cwt	104kg/2.0cwt	140kg/2.7cwt	140kg/2.7cwt	128kg/2.5cwt	129kg/2.5cwt	129kg/2.5cwt	152kg/3.0cwt
Optional Equipment Payload	48kg/1.0cwt	46kg/0.9cwt	46kg/0.9cwt	50kg/1.0cwt	50kg/1.0cwt	20kg/0.4cwt	50kg/1.0cwt	50kg/1.0cwt	51kg/1.0cwt
Maximum Technical Permissible Laden Mass	1190kg/23.4cwt	1280kg/25.2cwt	1280kg/25.2cwt	1455kg/28.6cwt	1460kg/28.7cwt	1350kg/26.6cwt	1420kg/27.9cwt	1420kg/27.9cwt	1500kg/29.5cwt
Awning A/A Dimension	8.17m/26'9"	8.93m/29'4"	8.93m/29°4"	9.53m/31'3"	9.53m/31'3"	9.32m/30'7"	9.46m/31'0"	9.46m/31'0"	9.76m/32'0"
tyre Size oed sizes	195/70R14 91	195/70R14 95	195/70R14 95	175R14 99	175R14 99	195/70R14 95	175R14 99	175R14 99	175R14 99
Front Double [†]	201cm x 183cm/6'7" x 6'0"	201cm x 137cm/6'7" x 4'6"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	201cm x 192cm/6'7" x 6'4"	205cm x 154cm/6'9" x 5'1"	201cm x 183cm/6'7" x 6'0"	201cm x 183cm/6'7" x 6'0"	205cm x 158cm/6'9" x 5'2"
or One Single	183cm x 66cm/6'0" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		183cm x 66cm/6'0" x 2'2"	183cm x 66cm/6'0" x 2'2"	
and One Single	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"		192cm x 66cm/6'4" x 2'2"	192cm x 66cm/6'4" x 2'2"	
Rear Double				188cm x 137cm/6'2" x 4'6"	201cm x 137cm/6'7" x 4'6"	190cm x 137cm/6'3" x 4'6"			193cm x 137cm/6'4" x 4'6"
Rear Bunk				188cm x 58cm/6'2" x 1'11"	201cm x 58cm/6'7" x 1'11"				193cm x 58cm/6'4" x 1'11"
Side Single							180cm x 66cm/5'11" x 2'2"	180cm x 66cm/5'11" x 2'2"	
Side Bunk							172cm x 58cm/5'8" x 1'11"	172cm x 58cm/5'8" x 1'11"	

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. *Estimated weights †Double bed size is quoted with wrap round seating.

^{*}Denotes estimated weight.

Charisma technical information dimensions and weights





172cm x 58cm/5'8" x 1'11"

Note: A tolerance of 3% in the Mass in Running Order has been allowed for in the calculation of payload margins. †Double bed size is quoted with wrap round seating.

Side Single

Side Bunk

^{*}Denotes estimated weight.

Your Local Dealer



Quality with Style







SWIFT CARAVANS, DUNSWELL ROAD, COTTINGHAM, EAST YORKSHIRE HU16 4JX. TEL: 01482 847332 FAX: 01482 841042

e-mail: enquiry@swiftleisure.co.uk web site: www.swiftcaravans.co.uk

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift.

The touring caravans described in this brochure are designated by their model year. The model year runs from 1 September to 31 August and the despatch of 2001 models will have commenced on or after 1 September 2000.

Issued September 2000

Volvo cars courtesy of Volvo Cars UK Limited.

To reserve your place on a factory tour to see Swift products being produced in one of Europe's most sophisticated factories, simply call the number above and ask for 'Factory Tours'.