



Elddis

1999 MODEL YEAR TOURERS



We're immensely proud to present to you the '99 range of Elddis caravans.

A range that combines the very latest technological advancements with beautifully functional design - a range that has been created without compromise.



You'll find every one of our tourers affords exceptional features, stylish fabrics, crafted furniture, harmonious décor, kitchens and washrooms that wouldn't look out of place in your own home.

And why not?

After all, your tourer should reflect the achievements of your life. And nothing reflects those achievements like an Elddis



C O N T E N T S

XL RANGE

GT RANGE

■ GTX RANGE

CRUSADER RANGE

MODEL SPECIFICATION



CARAVANS WITH MORE TO OFFER

I 9 9 9 X L RANGE

在延期包括成是 医甲基尼利氏检查不利原剂医

EXTERIOR

Lightweight galvanised steel BPW chassis with strengthened corner steadies. New bodyshell with increased headroom. Distinctive graphics with painted body stripes & resin badging. Moulded plastic wheel arch spats. Three opening front windows. Awning rail to both sides. Grey acrylic windows with screen printed edges. Awning light. Wheel trims. Status T.V. aerial. Lockable battery box. Single Key, West Alloy locks to all external doors except gas locker. Hella Caraluna rear cluster lights with warning triangle. Free standing step.

INTERIOR - LIVING AND SLEEPING

Rich Honey Oak furniture finish and hardwood framed furniture doors
Sherwood Oak finish table top & work surfaces Brass hinges to doors
Colour matched ash furniture handles Front drawer locker with fold out occasional table in most models Part sprung upholstery in new luxurious finish Lined curtains Hafele spring loaded lift up brackets to coffee tables in Tornado & Slipstream & T.V. shelves in Whirlwind, Shamal & Cyclone Soft shut roof locker doors and new style stays

KITCHEN AREA

Electrolux 77 litre refrigerator with full width freezer Spinflo Caprice glass fronted oven in British Racing Green with grill and hotplate New colour coded mixer tap Spinflo sink & drainer in British Racing Green Drop down sink unit extension in Shamal & Cyclone

HEATING & PLUMBING

Truma 3002 fire with Ultraheat in Whirlwind, Hurricane OT, Shamal & Tornado Carver 4000 Fanmaster fire with control panel in Slipstream, Hurricane NT, Cyclone & Typhoon Blown air heat distribution system 12 mm semi rigid fresh water plumbing fittings Cascade GE Rapid water heater Thetford cassette Porta Potti Shower doors in Hurricane NT, Slipstream & Typhoon New shower mats Luxury bathroom fittings with built in wall mirrors & storage

LIGHTING & ELECTRICAL

Mains lighting with 12v & coax sockets Mains charging unit with electric circuit breakers and EMC loom 12v roof lighting in living, kitchen & washroom areas Two eyeball reading lights 25 m mains hook up cable Clipsal electrical equipment and new ZIG analogue control panel

FITTINGS & EQUIPMENT

Full double glazing Visa Plus curtain track to all window curtains Cassette blinds and flyscreens to opening windows New furniture door stays

SECURITY

Unique identification number etched on windows & chassis with supporting ownership documentation
 Concealed, built in data chip
 Lockable corner steadies







I. HANGI

- > Whirtwing
- > Shamai
- Hurricane (O/T)
- > Tornarie
- **一种,有有效的**的现在分词
- > hupuream
- r Kytlone
- > Tenhoor





1999 GT RANGE



- ➤ Mistra
- ➤ Hurricane (N/T)
- ➤ Hurricane (O/T)
- Jetstream
- Cyclone
- > Typhoon
- ➤ Typhoon (L)







GENERAL SPECIFICATIONS

EXTERIOR

Lightweight galvanised steel BPW chassis with strengthened corner steadies. Hella Caraluna rear cluster lights incorporating warning triangle & reversing lights. New distinctive exterior graphics with painted body stripes & resin badging. New bodyshell incorporating one piece fibreglass front panel affording greater headroom. Tinted polyplastic windows with screen printed edges. Moulded plastic wheel arch spats. Awning rail to both sides. Awning light. West Alloy locks with one key to all external doors except gas locker. Status T.V. aerial. Gas BBQ point with safety cut off. Lined exterior access locker with 240v point for outdoor use. Free standing step. Lockable battery box.

INTERIOR-LIVING AND SLEEPING

- Hardwood framed furniture doors with Rich Honey Oak furniture finish
 Deep edge Sherwood Oak finish table top & work surfaces
 Brass furniture hinges & Brushed Bronze furniture handles
 Front drawer locker with fold out occasional table
 Drop down bed flaps to bunk beds
- Luxurious full sprung upholstery in distinctive Palace soft furnishings
 Ridgecrest Russet fitted carpet
 Lined velour curtains
 Soft shut roof locker doors
 Dividing curtains in matching fabric

KITCHEN AREA

Stoves 9000-3, 4 burner hob, oven & grill in warm maroon
 Matching Stoves sink & drainer unit
 Reich mixer taps in chrome with gold trim
 Electrolux 77 litre refrigerator with full width freezer

HEATING & PLUMBING

Carver Crystal 3 water filter system & pump New Carver 4000 Fanmaster fire in warm maroon with control panel & full blown air system 12 mm semi rigid fresh water plumbing fittings Cascade GE Rapid water heater Thetford cassette Porta Potti Shower doors in Hurricane NT, Typhoon, Typhoon L & Jetstream Steel coloured Kustom Sport shower mats Luxury bathroom fittings with built in wall mirrors & storage

LIGHTING & ELECTRICAL

Mains lighting with new charging unit, electric circuit breakers and EMC loom. Circular fluorescent 12v ceiling lights. Remote light switch to washroom. Dual entrance way light switch. Mains 12v and coax sockets. Courtesy light in wardrobe. Brass Halogen downlighters to kitchen areas. New Zig analogue control panel. & Clipsal electrical equipment. Eyeball reading lights. Exterior concealed 240v socket (see exterior feature). 25 m mains hook up cable.

FITTINGS & EQUIPMENT

Full double glazing Skylights with night blinds & flyscreens Visa Plus curtain track & cassette blinds & flyscreen to opening window Exterior door flyscreen with concealed floor track Vent boards behind backrests Colour matched, wooden based clock Door mat & tray for easier cleaning Soft shut roof locker doors Brass locking sliding table rail

SECURITY

 Unique identification number etched on windows & chassis with supporting ownership documentation
 Concealed, built in data chip
 Lockable corner steadies

1999 GTX RANGE

GENERAL SPECIFICATIONS

EXTERIOR

Lightweight galvanised steel Al-KO chassis with heavy duty corner steadies
 New bodyshell with increased headroom
 Gas assisted handbrake
 Hella high level brake light
 Distinctive graphics with painted body stripes
 Cantilever assembly to front gas locker
 Awning rail to both sides
 Tinted acrylic windows with screen printed edges
 Single Key, West Alloy locks to all external doors except gas locker
 Awning light
 Hella Caraluna rear cluster lights with warning triangle
 Status T.V. aerial
 Spare wheel well in gas locker
 Gas BBQ point and lined access locker with 240v socket

INTERIOR- LIVING AND SLEEPING

Cherry finish furniture with hardwood framed furniture doors
 Kiruna
 Seville table top
 work surfaces
 Brass furniture hinges, handles and
 Hafele push buttons with mini locks
 Front drawer locker with fold out occasional table
 air outlets
 Full sprung upholstery in luxurious
 Crowson Memoirs
 Byron
 Lined velour curtains
 Taybon Mink fitted carpets
 Soft shut roof locker doors and new style stays
 Drop down bed flaps to all bunk beds

KITCHEN AREA

• Stoves 4 burner hob, oven & grill with spark ignition • Stoves matching sink & drainer unit • Electrolux 86 litre refrigerator with full width freezer and interior light • Reich mixer taps in chrome & gold • Cup & plate racks

HEATING & PLUMBING

Carver crystal 3 water filter system & pump
 Carver 4000 Fanmaster fire in green with built in control panel
 Blown air heat distribution system
 12 mm semi rigid fresh water plumbing fittings
 Cascade GE Rapid water heater
 Electric cassette Porta Potti
 28 mm waste water system
 Shower doors
 Curved corner shower cubicles in Hurricane
 Typhoon
 Kustom
 Kustom Sport steel coloured shower mats
 Luxury bathroom fittings with built in wall mirrors
 Storage

LIGHTING & ELECTRICAL

Mains lighting with charging unit, electric circuit breakers and EMC loom
 Circular fluorescent 12v ceiling lights
 Brass halogen downlighters over kitchen area
 Remote light switch to washroom and dual entrance way switch
 Mains, 12v & coax sockets
 Eyeball reading lights
 Spare parts electrical kit containing bulbs & fuses
 Clipsal electrical equipment and new Z1G digital control panels
 Exterior 240v sockets for outdoor use (see exterior feature)
 Courtesy lights in wardrobe & cocktail cabinet
 25 m mains hook up cable

FITTINGS & EQUIPMENT

Full double glazing
 Cassette blinds and flyscreens to opening windows
 Heki
 Panoramic roof light (may be replaced by optional air conditioning, at additional cost)
 Colour matched, wooden based clock
 Vent boards to backrests
 Door entrance mat & tray for convenient cleaning
 Sliding doors in Hurricane & Typhoon washrooms for through vision when towing
 Brass locking, sliding table rail in Typhoon centre dinette
 Exterior door flyscreen with concealed base track
 Optional (additional charge)
 Radio CD/Radio Cassette in roof console with barometer, clock and reading lights

SECURITY

- Unique identification number etched on windows & chassis with supporting ownership documentation
 Concealed, built in data chip
- Lockable corner steadies

GTX RANGE

➤ Mistral

➤ Hurricane

> Typhoon







Dinette illustrated in optional 4 berth Typhoon





Optional Tam Tam upholstery.

Optional 4 berth Typhoon.

I 9 9 9 CRUSADER RANGE

GENERAL SPECIFICATIONS

EXTERIOR

Lightweight galvanised steel BPW twin axle chassis with heavy duty corner steadies New bodyshell with increased headroom High level brake light Tinted polyplastic windows with screen painted edges Awning light Hella Caraluna rear cluster lights incorporating warning triangle & reversing lights Status T.V. aerial Gas BBQ point and lined access locker with 240v socket Air conditioning Free standing step Whale external summer shower/rinse fitting with hot & cold taps Spare wheel well in front gas locker

INTERIOR - LIVING AND SLEEPING

New cherry finish furniture with hardwood framed doors Deep edge work surfaces Cherry finish pelmets Brass furniture hinges and handles with Hafele push buttons and mini locks Front drawer locker with fold out occasional table & air outlets Drop down bed flaps to all bunk beds Greengage luxurious fitted carpets Full sprung upholstery in choice of colour schemes Lined velour curtains
Soft shut roof locker doors and new style stays

KITCHEN AREA

- Electrolux 86 litre refrigerator with full width freezer and interior light
- Stoves 9000-3 spark ignition oven, 4 burner hob, & grill
- Matching sink & drainer unit Reich chrome & gold mixer taps Cup & plate rack

HEATING & PLUMBING

Carver Waterline mains water connection system Carver 4000
Fanmaster fire in Country Green with built in control panel Blown air heat distribution system 12 mm semi rigid fresh water pipes
Cascade GE Rapid water heater Electric rotatable cassette Porta
Potti 28 mm waste water system New radius shower gable to Storm
Sliding toilet doors to Storm Corner unit in Sirocco shower
Blizzard air conditioning unit Whale external summer shower/rinse fitting with h&c taps (see exterior features) Kustom Sport steel coloured shower mats Luxury bathroom fittings with built in wall mirrors & storage

LIGHTING & ELECTRICAL

Mains lighting with charging unit, electric circuit breakers and EMC loom
 Circular fluorescent 12v ceiling lights
 Brass halogen downlighters over kitchen area
 Remote light switch to washroom
 Dual switch to entrance way
 Eyeball reading lights
 Wardrobe & cocktail cabinet lights
 Mains, 12v and coax sockets
 Exterior 240v sockets for outdoor use (see exterior feature)
 Spare parts electrical kit containing bulbs
 fluorescent floor lighting
 Clipsal electrical equipment and new ZIG digital control panels
 25 m mains hook up cable







FITTINGS & EQUIPMENT

• Full double glazing • Cassette blinds and flyscreens to opening windows
• Visa Plus curtain track • Exterior door flyscreen with concealed base track • Built in roof console housing for clock, lights, barometer, radio cassette & speakers, Optional CD player available at additional cost in lieu of cassette • Door entrance mat & tray for convenient cleaning • Sliding toilet doors in Storm • Dividing curtains in matching material • Vent boards to backrests

SECURITY

- Unique identification number etched on windows & chassis with supporting ownership documentation.
 Concealed, built in data chip
- Lockable corner steadies



MODEL	WHIRLWIND	SHAMAL	HURRICANE (O/T)	TORNADO	HURRICANE (N/T)	SLIPSTREAM	CYCLONE	TYPHOON
Number of Berths	2	4	2	5	2	4	5	4
Body Length	3655mm (12' 0")	4454mm (14' 7")	4552mm (14' 11")	4552mm (14' 11")	4752mm (15' 7")	4752mm (15' 7")	5147mm (16' 10'/2")	5275 (17' 3'/;")
Shipping Length	5140mm (16' 10'/i")	5939mm (19' 6")	6037mm (19' 9'/2")	6037mm (19' 9'/2")	6237mm (20' 5'/2")	6237mm (20' 5'/2")	6632mm (21 '9")	6760mm (22' 2")
Overall Width	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")
Overall Height	2755mm (9" '/ı")	2755mm (9' '/ı")	2755mm (9' '/2")	2755mm (9' '/ ₂ ")	2755mm (9' '/1")	2755mm (9' '/ı")	2755mm (9' 1/1")	2755mm (9' ½")
Maximum Headroom	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")
Interior Width	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' B")	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")
Awning Sizes Ground to Ground	7700mm	8500mm	8600mm	8600mm	8800mm	8800mm	9195mm	9325mm
Bed Sizes Option 1	2 x Single	2 x Single	l x Single	- I x Single	l x Single	I x Double	l x Single	l x Single
	1830mm x 673mm	1854mm x 673mm	1880mm x 673mm	1668mm x 570mm	1880mm x 673mm	1980mm x 1435mm	1880mm x 673mm	1862mm x 673mm
	6' 0" x 2' 2"	6' 0" x 2' 2"	6' 2" x 2' 2"	5' 6" x 2' 1"	6' 2" x 2' 2"	6' 6" x 4' 8"	6' 2" x 2' 2"	6' I" x 2' 2"
		I x Single	I x Single	I x Double	1 x Single	1 x Single	l x Single	l x Single
		1980mm x 685mm	1830mm x 673mm	1980mm x 1245mm	1805mm x 673mm	1830mm x 610mm	1853mm x 673mm	1830mm x 673mm
	Tr.	6' 6" x 2' 3"	6' 0" x 2' 2"	6' 6" x 4' 1"	6' 0" x 2' 2"	6' 0" x 2' 1"	6' l" x 2' 2"	6' 0" x 2' 2"
		I x Single		1 x Double		l x Single	l x Double	I x Single
	3	1903mm x 580mm		1830mm x 1143mm	£:	1735mm x 580mm	1980mm x 1219mm	1800mm x 610mm
		6' 3" x 2' 1"		6' 0" x 3' 9"		5' 9" x 2' 1"	6' 6" x 4' 0"	6' 0" x 2' 1"
						9	l x Single	l x Single
							2000mm x 584mm	1685mm x 580mm
							6' 7" x 2' 1"	5' 6" x 2' 1"
Bed Sizes Option 2	1 x Double	I x Double	1 x Double		l x Double		I x Double	1 x Double
	1980mm x 1420mm	1980mm x 1443mm	1980mm x 1420mm		1980mm x 1395mm		1980mm x 1443mm	1980mm x 1420mm
	6' 6" x 4' 8"	6' 6" x 4' 9"	6' 6" x 4' 8"		6' 6" x 4' 6"		6' 6" x 4' 9"	6' 6" x 4' 8"
		1 x Single					I x Double	l x Single
		1980mm x 685mm					1980mm x 1219mm	1800mm x 610mm
		6' 6" x 2' 3"					6' 6" x 4' 0"	6' 0" x 2' 1"
		1 x Single					l x Single	l x Single
		1903mm x 580mm					2000mm x 584mm	1685mm x 580mm
		6' 3" x 2' 1"					6' 7" x 2' 1"	5' 6" x 2' 1"
Maximum Technically Permissible Laden Mass kgs	1000	1200	1200	1200	1250	1250	1300	1300
Mass in Running Order kgs	793	873	916	907	920	907	966	999
Essential Habitation Equipment kgs	74	74	74	74	66	66	74	66
Users Payload kgs	184	300	257	266	302	315	305	271

A 3% tolerance in the Mass in Running Order has been allowed for in the calculation of payload margins. The Users Payload includes Essential Habitation Equipment, Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 2: Warning: Under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.

From 1st September 1998 new tourers must comply with certain new European Standards which replace existing British Standards. One such Standard covers tourer weights and the definitions used in this brochure are a part of that requirement.

 $I.\,Maximum\, Technically\, Permissible\, Laden\, Mass: The\, absolute\, limit\, to\, which\, the\, tourer\, can\, be\, loaded.\, Previously\, Maximum\, Authorised\, Weight.$

2. Mass in Running Order: The mass of the unladen tourer as supplied from the factory. Previously Ex Works Weight.

3. Users Payload, of which there are three parts.:

a. Essential Habitation Equipment; an allowance for operational services e.g. liquid petroleum gas - 90% full bottle, full water heater, 90% full fresh water tank, full cassette toilet flushing tank, mains lead and leisure battery.

b.Personal Effects; allowance for items used by occupants e.g. food, kitchenware,

clothing, bedding and general leisure items. This has been calculated by the formula 10N+10L+30 where $N \equiv number$ of standard and optional berths and L is length of van in metres excluding draw bar.

c. Optional Equipment; an allowance for equipment offered as a retailer fitted upgrade. Please refer to your dealer for details.

How to calculate your Personal Effects Payload:

Delete Essential Habitation Equipment from Users Payload, delete the masses of any optional extras you wish fitted, the balance is your Personal Effects Payload allowance.

KEY


Washroom Area


☐ Kitchen Area


Living & Sleeping Area


Optional 'L' shape seating available in Cyclone at the back. Optional 'L' shape seating available in the front of all models except Tornado and Slipstream.



















MODEL	WHIRLWIND	MISTRAL	HURRICANE (N/T)	HURRICANE (O/T)	JETSTREAM	CYCLONE	TYPHOON	TYPHOON(L)
Number of Berths	2	2	2)	JETSTREATT.	S	A	A A
Body Length	3782mm (12' 4'/2")	4034mm (13' 2")	4752mm (15' 7")	4752mm (15' 7")	5047mm (16' 6'/1")	5147mm (16' 10'/2")	5275mm (17' 3'/2")	5275 (17' 3'/2")
Shipping Length	5270mm (17' 3'/ ₂ ")	5522mm (18' 1'/2")	6240mm (20' 6")	6240mm (20' 6")	6535mm (21' 5'/1")	6635mm (21' 9")	6763mm (22' 2'/1")	6763mm (22' 2'/2")
Overall Width	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")	2184mm (7' 2")
Overall Height	2755mm (9' 1/2")	2755mm (9' 1/2")	2755mm (9' 1/2")	2755mm (9' 1/1")	2755mm (9' 1/2")	2755mm (9' 1/2")	2755mm (9' 1/2")	2755mm (9' 1/1")
Maximum Headroom	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")	1953mm (6' 5")
Interior Width	2032mm (6' B")	2032mm (6' 8")	2032mm (6' 8'')	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")
Awning Sizes Ground to Ground	7830mm	8080mm	8800mm	8800mm	9100mm	9195mm	9325mm	9325mm
Bed Sizes Option 1	l x Single	1 x Double	l x Single	l x Single	l x Double	l x Single	I x Single	l x Double
*	1957mm x 673mm	1980mm x 1240mm	1880mm x 673mm	1880mm x 673mm	1980mm x 1240mm	1880mm x 673mm	1862mm x 673mm	1980mm x 1240mm
~	6' 5" x 2' 2"	6' 6" x 4' 0"	6' 2" x 2' 2"	6' 2" x 2' 2"	6' 6" x 4' 0"	6' 2" x 2' 2"	6' 1" x 2' 2"	6' 6" x 4' 0"
	l x Single		I x Single	l x Single	l x Single	1 x Single	I x Single	I x Single
1.0	1805mm x 673mm		1805mm x 673mm	1805mm x 673mm	1830mm x 610mm	1853mm x 673mm	1830mm x 673mm	1800mm x 610mm
	6' 0" x 2' 2"		6' 0" x 2' 2"	6' 0" x 2' 2"	6' l" x 2' 0"	6' 1" x 2' 2"	6' 0" x 2' 2"	6' 0" x 2' 0"
					l x Single	l x Double	I x Single	I x Single
					1740mm x 580mm	1795mm x 1130mm	1800mm x 610mm	1710mm x 580mm
					5' 9" x 2' 0"	6' l" x 3' 8"	6' 0" x 2' 0"	5' 7" x 2' 0"
						I x Single	1 x Single	
				9		2016mm x 570mm	1710mm x 580mm	-
						6' 7" x 2' 0"	5' 7" x 2' 0"	2.00
Bed Sizes Option 2	I x Double		I x Double	l x Double		I x Double	I x Double	
	1980mm x 1395mm		1980mm x 1395mm	1980mm x 1395mm		1980mm x 1443mm	1980mm x 1420mm	1.1
1	6' 6" x 4' 7"		6' 6" x 4' 7"	6' 6" x 4' 7"		6' 6" x 4' 9"	6' 6" x 4' 8"	,
			1			I x Double	I x Single	
×						1980mm x 1130mm	1800mm x 610mm	
			_ 1			6' 6" x 3' 8"	6' 0" x 2' 0"	
		1				l x Single	l x Single	
-						2016mm x 570mm	1710mm x 580mm	
						6' 7" x 2' 0"	5' 7" x 2' 0"	
Maximum Technically Permissible Laden Mass kgs	1100	1100	1250	1250	1300	1300	1300	1300
Mass in Running Order kgs	880	880	964	946	995	1035	1043	1052
Essential Habitation Equipment kgs	74	74	66	66	74	74	66	66
Users Payload kgs	193	193	257	275	275	234	226	216

A 3% tolerance in the Mass in Running Order has been allowed for in the calculation of payload margins. The Users Payload includes Essential Habitation Equipment, Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 2: Warning: Under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.

From 1st September 1998 new tourers must comply with certain new European Standards which replace existing British Standards. One such Standard covers tourer weights and the definitions used in this brochure are a part of that requirement.

I. Maximum Technically Permissible Laden Mass: The absolute limit to which the tourer can be loaded. Previously Maximum Authorised Weight.

2. Mass in Running Order: The mass of the unladen tourer as supplied from the factory. Previously Ex Works Weight.

3. Users Payload, of which there are three parts.:

a. Essential Habitation Equipment; an allowance for operational services e.g. liquid petroleum gas - 90% full bottle, full water heater, 90% full fresh water tank, full cassette toilet flushing tank, mains lead and leisure battery.

b.Personal Effects; allowance for items used by occupants e.g. food, kitchenware,

clothing, bedding and general leisure items. This has been calculated by the formula 10N+10L+30 where $N\equiv$ number of standard and optional berths and L is length of van in metres excluding draw bar.

c. Optional Equipment: an allowance for equipment offered as a retailer fitted upgrade. Please refer to your dealer for details.

How to calculate your Personal Effects Payload:

Delete Essential Habitation Equipment from Users Payload, delete the masses of any optional extras you wish fitted, the balance is your Personal Effects Payload allowance.


KEY

Washroom Area

Kitchen Area

Living & Sleeping Area

Optional 'L' shape seating in front and back dinette are available in Cyclone.



MODEL	MISTRAL ;	HURRICANE	TYPHOON
Number of Berths	2	2	3
Body Length	4296mm (14' 1")	4742mm (15' 6'/2")	5237mm (17' 2")
Shipping Length	5849mm (19' 2")	6295mm (20' 8")	6790mm (22' 3'/1")
Overall Width	2184mm (7' 2")	2184mm (7* 2")	2184mm (7' 2")
Overall Height	2723mm (8' 11")	2723mm (8' 11")	· 2723mm (8' 11")
Maximum Headroom	1958mm (6' 5")	1958mm (6' 5")	1958mm (6' 5")
Interior Width	. 2032mm (6' 8")	2032mm (6' 8")	2032mm (6' 8")
Awning Sizes Ground to Ground	8344mm	8790mm	9285mm
Bed Sizes Option I	l x Single	l x Single	l x Single
	1905mm x 673mm	1880mm x 673mm	1880mm x 673mm
	6' 2" x 2' 2"	6' 2" x 2' 2"	6' 2" x 2' 2"
	l x Single	l x Single	l x Single
	1805mm x 673mm	1828mm x 673mm	1805mm x 673mm
	6' 0" x 2' 2"	6' 0" x 2' 2"	6' 0" x 2' 2"
			l x Single
		·	1830mm x 630mm
		*:	6' 0" x 2' 0"
Bed Sizes Option 2	I x Double	l x Double	l x Double
Service Section (Section Control Contr	1980mm x 1395mm	1980mm x 1418mm	1980mm x 1395mm
	6' 5" x 4' 6"	6' 5" x 4' 7"	6' 5" x 4' 6"
			l x Single
	and the control of th		1830mm x 630mm
			6' 0" x 2' 0"
Maximum Technically Permissible Laden Mass kgs	1200	1300	1400
Mass in Running Order kgs	THE STATE OF THE S	1043	1100
Essential Habitation Equipment kgs		66	66
Users Payload kgs		225	267

A 3% tolerance in the Mass in Running Order has been allowed for in the calculation of payload margins. The Users Payload includes Essential Habitation Equipment. Personal Effects and Optional Equipment.

Note I: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 2: Warning: Under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.

From 1st September 1998 new tourers must comply with certain new European Standards which replace existing British Standards. One such Standard covers tourer weights and the definitions used in this brochure are a part of that requirement.

- 1. Maximum Technically Permissible Laden Mass: The absolute limit to which the tourer can be loaded. Previously Maximum Authorised Weight.
- 2. Mass in Running Order: The mass of the unladen tourer as supplied from the factory. Previously Ex Works Weight.
- 3. Users Payload, of which there are three parts.:
- a. Essential Habitation Equipment an allowance for operational services e.g. liquid petroleum gas 90% full bottle, full water heater, 90% full fresh water tank, full cassette toilet flushing tank, mains lead and leisure battery.
- b.Personal Effects: allowance for items used by occupants e.g. food, kitchenware,

clothing, bedding and general leisure items. This has been calculated by the formula $10N \pm 10L \pm 30$ where $N \equiv$ number of standard and optional berths and L is length of van in metres excluding draw bar.

c. Optional Equipment: an allowance for equipment offered as a retailer fitted upgrade. Please refer to your dealer for details.

How to calculate your Personal Effects Payload:

Delete Essential Habitation Equipment from Users Payload, delete the masses of any optional extras you wish fitted, the balance is your Personal Effects Payload allowance.


KEY

■ Washroom Area

Kitchen Area

Living & Sleeping Area

Optional 'L' shape seating in front available in Hurricane, Typhoon (with nearside picture window) and Mistral (with offside picture window).



CRUSADER RANGE

THE RESIDENCE OF THE PARTY OF T			
MODEL	STORM	SIROCCO	SUPERSTORM
Number of Berths	3	4	5
Body Length	5958mm (19' 6'/2")	6325mm (20' 9")	6325mm (20' 9")
Shipping Length	7509mm (24' 7'/2")	7876mm (25' 10")	7876mm (25' 10")
Overall Width	2259mm (7' 5")	2259mm (7' 5")	2259mm (7' 5")
Overall Height	2723mm (8' 11")	2723mm (8' 11")	2723mm (8' 11")
Maximum Headroom	1958mm (6' 5")	1958mm (6' 5")	1958mm (6' 5")
Interior Width	2107mm (6' 11")	2107mm (6' 11")	2107mm (6' 11")
Awning Sizes Ground to Ground	9910mm	10197mm	10197mm
Bed Sizes Option I	2 x Single	I x Double	2 x Single
	1880mm x 695mm	2050mm x 1240mm	1880mm x 695mm
	6' 2" x 2' 3"	6' 7" x 4' 0"	6' 2" x 2' 3"
	l x Single	l x Single	1 x Single
	1845mm x 630mm	2050mm x 1220mm	1715mm x 580mm
	6' 0" x 2' 0"	6' 7" x 4' 0"	5' 8" x 2' 0"
4			l x Single
			1830mm x 640mm
		2	6' 0" x 2' 1"
			l x Single
			1854mm x 800mm
			6' 1" x 2' 6"
Bed Sizes Option 2	l x Double		1 x Double
	2050mm x 1470mm	я 9	2050mm x 1470mm
	6' 7" x 4' 8"		6' 7" x 4' 8"
	I x Single		l x Single
	1845mm x 630mm		1715mm x 580mm
	6' 0" x 2' 0"		5' 8" x 2' 0"
*	0 0 12 0		1005_NL (00_00)
			l x Single
			1830mm x 640mm
			6' 0" x 2' 1"
			l x Single
			1854mm x 800mm
Market Table II Decided to 1	1600		6' I" x 2' 6"
Maximum Technically Permissible Laden Mass kgs	1600	1700	1700
Mass in Running Order kgs	1280	1330	1370
Essential Habitation Equipment kgs	66	74	74
Users Payload kgs	281	330	289

A 3% tolerance in the Mass in Running Order has been allowed for in the calculation of payload margins. The Users Payload includes Essential Habitation Equipment. Personal Effects and Optional Equipment.

Note 1: Please take care to ensure that you have allowed for the masses of all items you intend to carry in the caravan.

Note 2: Warning: Under no circumstances must the Technical Permissible Laden Mass of the caravan be exceeded.

From 1st September 1998 new tourers must comply with certain new European Standards which replace existing British Standards. One such Standard covers tourer weights and the definitions used in this brochure are a part of that requirement.

I. Maximum Technically Permissible Laden Mass: The absolute limit to which the tourer can be loaded. Previously Maximum Authorised Weight.

2. Mass in Running Order:The mass of the unladen tourer as supplied from the factory. Previously Ex Works Weight.

3. Users Payload, of which there are three parts.:

a. Essential Habitation Equipment; an allowance for operational services e.g. liquid petroleum gas - 90% full bottle, full water heater, 90% full fresh water tank, full cassette toilet flushing tank, mains lead and leisure battery.

b. Personal Effects; allowance for items used by occupants e.g. food, kitchenware,

clothing, bedding and general leisure items. This has been calculated by the formula 10N + 10L + 30 where N = number of standard and optional berths and L is length of van in metres excluding draw bar.

c. Optional Equipment; an allowance for equipment offered as a retailer fitted upgrade. Please refer to your dealer for details.

How to calculate your Personal Effects Payload:

Delete Essential Habitation Equipment from Users Payload, delete the masses of any optional extras you wish fitted, the balance is your Personal Effects Payload allowance.


KEY


Washroom Area

☐ Kitchen Area

Living & Sleeping Area

'L' shape seating in front is available in the Storm and Superstorm. 'L' shape seating in the back is available in the Sirocco. 4 and 6 berth options are available in the Superstorm.





THE EXPLORER GROUP

Formed through the merger of six of the most respected names in the industry, The Explorer Group now offers the largest choice of leisure vehicles in the UK. Purchasing your tourer through The Explorer Group brings many benefits.

As a valued customer, you'll receive an Explorer Group Card. This secures you a host of benefits across the country that will make touring an even more enjoyable experience. And soon The Explorer Group Web Site goes on-line. It will provide an invaluable source of information regarding the leisure vehicle market.

The Explorer Group believes that comprehensive and efficient after sales support is vital and to reflect this and the confidence we have in our products, every caravan we sell comes complete with an extended warranty. In addition to the twelve months standard comprehensive manufacturer's warranty, an additional second and third year warranty covers major items externally and internally. This may be extended to five years for an additional premium.

ELDDIS EXTENDED WARRANTY COVER:

- All electrical and mechanical components Water Ingress Delamination Overnight accommodation Continental use
- Transfer option Recovery Green Flag emergency assistance helpline.

And with an established, nationwide network of dealers, we're able to back up our comprehensive warranty plans with unsurpassed levels of service and support.

Just some of the ways The Explorer Group offers you more.

This brochure has been designed to provide you with basic information prior to making a purchase decision. Please refer to your dealer for additional information before you buy. Elddis Caravans (Consett) Ltd. reserve the right to alter technical specifications, prices and model ranges as materials and conditions demand and can accept no responsibility for discrepancies between these and subsequent models. Household items illustrated in the brochure e.g. fruit and personal effects, have been used to enhance photography and are not supplied with the caravan. Limitations in the printing process may mean upholstery colours are not truly represented.

It should be noted that distributors and dealers are not the agents of Elddis Caravans (Consett) Ltd. and are not authorised to bind the company by any specific or implied undertaking or representation.

All 1999 model Elddis touring caravans have been built, inspected and certified to the new European Standards.

Please note: Touring caravans are designated by their model year. The model year runs from 1st September to 31st August. For example, a 1999 model would have been despatched by the manufacturers no earlier than September 1998.

Print date: October 1998.





